

Product World

Finishes · Sealers · Fillers · Oils · Care Products · Adhesives · Tools



Home of Wood Floor Finishing Products since 1926



Berger-Seidle®
...wood floors deserve the best!

TABLE OF CONTENTS

Excellence in Wood Floor Finishing



Table of Contents

3

Products

4 - 94

Adhesive Systems

4 - 9

Abrasives

10 - 29

Water-based Systems

30 - 47

Oil Systems

48 - 61

Solvent-based Systems

62 - 65

Maintenance & Care Systems

66 - 73

Sport Floor Systems

74 - 79

Tools & Miscellaneous

82 - 96

Legend

97

Contacts us

98 - 99

Trainnigs & Workshops

99

Tabels

100 - 103

BergerBond Adhesive Systems

100

Combinations of Primers and Adhesives

100

Surface Treatment Systems

101

Skid Resistances

102

Roller Use Table

102

Combinations of Sealers and Finishes

103

Alphabetic Product List

104 - 105

Special Conditions

106

General Conditions of Sale

107

BERGERBOND

A premium and high-quality wooden floor must be glued securely.

Technical performance with strong adhesion, very good workability and a technically safe installation are essential. This prevents from problems with other materials - short- and long-term.

Health protection for installers as well as owners play a very important and central role. Health issues must be avoided entirely or minimized, depending on the preferred product category.

The BERGERBOND product family represents the premium segment of adhesive technology for parquet and wood floors offering all these benefits. Through systematic test procedures with the matched Berger-Seidle finishing products, additional reliability in the complete system is guaranteed.

The large and highly specialized BERGERBOND product variety offers the right performance solution for every requirement - completely "Made in Germany", including additional, smart problem solvers.

The maximum of environmental friendliness and health protection is additionally proven by comprehensive external certifications such as the EC1 label, the Blue Angel label, the Green Point, fulfillment of the LEED specifications and of course the German Building Certification of DIBT.

A strong foundation for successful installations is assured with our adhesive systems.



ADHESIVE SYSTEMS



Primers

Product	Description	Shelf Life	VOC ASTM	Process. / Laying Time	Fit For Fur- ther Work	Application / Consumption	Flash-Off Time / Floor Heating / Item-No.	Certificates / Approvals	Packaging	Pallet
	BERGERBOND® PRIMER D is a 1-component primer based on high-quality synthetic resin disper- sions. Free of solvents! Specially recommended for priming of heavily absorbing, mineral and wooden subfloors. It is a concentrate and can be diluted 1:3 with water. Approved under all BER- GERBOND adhesives.	15 mon.*	0	-	see technical data	 Univers. Roller. 400-800 sf/gal	no / yes / ADHE-10130	 	1.28 us fl gal 	96
	BERGERBOND® PRIMER P is a 1-component primer based on high-quality polyurethane raw materi- als. Free of water and solvents! Specially recommended for priming BERGERBOND® P2S and BERGERBOND® M1P/M1/M1X. Supports a solid moisture and vapor barrier effect. Suitable for ab- sorbing and non-absorbing subfloors.	12 mon.*	0	-	see technical data	 Univers. Roller. 300-400 sf/gal 120 sf/gal (moisture barrier)	no / yes / ADHE-10110	 	1.28 us fl gal	60
	BERGERBOND® PRIMER E is a 2-component primer based on high-quality epoxy-resin raw materi- als. Free of solvents, saponification-resistant and non-shrinking. Functions as very strong moisture barrier. Recommended for priming BERGERBOND® P2S and BERGERBOND® M1P/M1/M1X. Suited for absorbing and non-absorbing subfloors.	12 mon.*	0 hard: 5	20-30 min.**	4-8 hrs.**	 Uno Roller. 70-140 sf/ gal	no / yes / ADHE-10120 ADHE-10121 (hardener)	 R11 acc. Tech. Data Sheet	4.39 us fl qt 	42

Adhesives

Product	Description	Shelf Life	VOC ASTM	Process. / Laying Time	Fit For Fur- ther Work	Application / Consumption	Flash-Off Time / Floor Heating / Item-No.	Certificates / Approvals	Packaging	Pallet
	BERGERBOND® P2S is a 2-component adhesive based on high-quality polyurethane raw materi- als, suited for the fixed gluing of solid wood, mosaic, strip, industrial wood flooring and prefinished wood flooring. Suited also for the gluing of most exotic woods and wood paving RE. Also well suited for the gluing of water-sensitive types of wood such as beech, maple and ash due to being bulge and deforming free. BERGERBOND® P2S is solvent-free, contains no water and is suitable for chair casters. The product provides a long open time.	12 mon.*	0	50-60 min.**	12 hrs.**	 50-70 sf/gal	no / yes / ADHE-10610 ADHE-10611 (hardener) ADHE-10620 ADHE-10621 (hardener)	 	1.55 us fl gal  3.72 us fl qt 	60 33
	BERGERBOND® M1P is a premium SPU hardwood-floor adhesive based on silane terminated pol- ymers, shear strength as per ISO 17178. Suitable for gluing solid wood planks of all measures. Used also for 10 mm solid wood, mosaic parquet, strip flooring and engineered wooden flooring as well as most of the exotic woods and industrial parquet. BERGERBOND® M1P is free of solvents, contains no water and is suitable for chair casters. BERGERBOND® M1P allows form-stable, quick and secure gluing.	18 mon.*	0	30-40 min.**	24 hrs.**	 60-90 sf/gal	no / yes / ADHE-10410	 	3.7 us fl gal  (3 x 1.23 us fl gal bag)	33
	BERGERBOND® M1S is a SMP hardwood-floor adhesive on the basis of silane-modified polyure- thane raw materials; elastic. Per DIN EN 14293 this adhesive is suited for the non-tension gluing of 10mm solid wood flooring, mosaic flooring, strip flooring and prefinished wood flooring. Suited also for the gluing of most exotic woods, solid wood planks according technical data sheet and industrial wood flooring. BERGERBOND M1S is solvent-free, contains no water and is suitable for chair casters. BERGERBOND M1S allows for loss-free, quick and secure gluing.	18 mon.*	0	40-60 min.**	24 hrs.**	 55-85 sf/gal	no / yes / ADHE-10820 ADHE-10830 ADHE-10810	 	3 us fl gal  (3 x 1 us fl gal bag) 400 oz  (20 x 20 us fl oz sausages) 3 us fl gal	36 40 33

ADHESIVE SYSTEMS



Adhesives

Product	Description	Shelf Life	VOC ASTM	Process. / Laying Time	Fit For Fur- ther Work	Application / Consumption	Flash-Off Time / Floor Heating / Item-No.	Certificates / Approvals	Packaging	Pallet
	BERGERBOND® M1 is a SMP hardwood-floor adhesive, with a wide and excellent range of appli- cation, featuring of high-quality silane-modified polyurethane raw materials; hardelastic. Per DIN EN 14293 this adhesive is suited for the non-tension gluing of solid wood and solid wood planks, mosaic, strip and prefinished wood flooring. Suits also for the gluing of most exotic woods and industrial wood flooring. BERGERBOND® M1 is solvent-free, contains no water and is suitable for chair casters. BERGERBOND® M1P allows form-stable, quick and secure gluing. We recommend the BERGER TOOL APPLICATION GUN L for processing the 925g sausages. More information on page 83.	18 mon.*	0	25-35 min.**	12 hrs.**	 50-90 sf/gal	no / yes / ADHE-10210 ADHE-10220 ADHE-10230		3 us fl gal (3 x 1 us fl gal bag)	36
							400 oz (20 x 20 us fl oz sausages)		40	
							3 us fl gal		33	
	BERGERBOND® M1X is a 1-component adhesive based on silane-modified polyurethane raw ma- terials; elastic. Per DIN EN 14293 this adhesive is suited for the non-tension gluing of 2-layer and 3-layer prefinished hardwood flooring. BERGERBOND® M1X is solvent-free, contains no water and is suitable for chair casters. BERGERBOND® M1X allows for form-stable, quick and safe gluing.	18 mon.*	0	25-35 min.**	12 hrs.**	 40-70 sf/gal	no / yes / ADHE-10340 ADHE-10330		3 us fl gal (3 x 1 us fl gal bag)	36
							3 us fl gal		33	
	BERGERBOND® MIU UP 1-component SMP adhesive sealant based on high-quality silane-ter- minated polymers. BERGERBOND® MIU UP is recommended for bonding concrete, metals, PVC, ceramics, glass, epoxy resin, polyester and wood. Suitable for bonding skirting boards, base- boards and decorative strips. Excellent adhesion, even on slightly wet surfaces. It is solvent-free, water-free and free from interactions with Berger-Seidle finishing systems - and has very low emissions overall at EC1 level. BERGERBOND® MIU UP is also characterized by very high adhesive power, fast initial adhesion and strong, rapid curing. With BERGERBOND® MIU UP, shrinkage-free, fast, hard-elastic and secure bonding is possible.	18 mon.*	0	15 min.**	24 hrs.**	dependent	no / yes / ADHE-11000		12x9,81 us fl oz	1152
	BERGERBOND® DIU is a low-emission 1-component dispersion glue for universal gluing of PVC, CV, design flooring, linoleum, resin (max. 3.5 mm thick) and textile flooring.	12 mon.*	0	20 min.**	24-48 hrs.** Depending on flooring!	 100-180 sf/gal	0-15 Min. / yes / ADHE-10710 ADHE-10720		3.08 us fl gal 1.36 us fl gal	33 64

Special Products

Product	Description	Shelf Life	VOC ASTM	Process. / Laying Time	Fit For Fur- ther Work	Application / Consumption	Flash-Off Time / Floor Heating / Item-No.	Certificates / Approvals	Packaging	Pallet
	BERGERBOND® COLORADD P is a special paste for coloration of the hardwood-floor adhesives BER- GERBOND® M1P, M1, M1X, P1 as well as P2S. As the paste can be admixed flexibly the desired color shade can be adapted to the respective wood lot directly at the construction site. Especially in the case of dark wood species, this way white joints caused by white adhesive, can be avoided. The dosing is easily done with the help of the measuring cup fitted within the can cap. The paste solution offers the additional advantage, that there is no need to additionally store dark adhesives.	12 mon.*	458	same as with the respective adhesive	same as with the respective adhesive	0.3-0.4 us fl oz/ gal	same as with the re- spective adhesive / yes / ADHE-10910		16.9 us fl oz	-
	BERGERBOND® P2 RAPIDREPAIR is a 2-component repair adhesive based on high-quality pol- yurethane raw materials, suited for the fixed gluing of solid wood flooring, mosaic flooring, strip flooring, industrial wood flooring and prefinished wood flooring. Great for repairs as adhesion is quick and strong. Thus, it is the ideal solution for repairing small areas and securing installation starter rows. Furthermore, it can be used as a gap filler of floor screed gaps, when pretreatment is done professionally. Suited also for the gluing of most exotic woods and wood paving RE. Best suited also for the gluing of water-sensitive types of wood such as beech, maple and ash due to being bulge and deforming free. BERGERBOND® P2 RAPIDREPAIR is solvent-free, contains no water and is suitable for chair casters.	12 mon.*	0	10-15 min.**	-		no / yes / ADHE-10630 ADHE-10631 (hardener)		17.8 us fl oz	280

ABRASIVES



ABRAPRIME

Proper sanding is crucial for a perfect finished result.

In order to achieve top level results, the technician simply needs reliable and safe work equipment, including "abrasives".

With the ABRAPRIME LINE, Berger-Seidle offers from a single source all required abrasives for varied tasks and machines in multiple categories. A wide selection is available in different categories and price points, from corundum, zircon, ceramic, silicon carbide to nylon polishing pads.

From common tasks to special projects, the ABRAPRIME lineup has you covered with belts, rolls, disks, velcro backed disks, screens and pads. Special perforations are also possible on request.

Proper sanding for every wood floor.



SANDING OF SURFACES



Ceramic 3M Cubitron: Simply the Best

- + Outstanding quality with precision ceramic grain
- + Up to 10 times more durable compared to corundum with extremely hard grain and self-sharpening
- + Cool running, sharp cut
- + Precision grain eliminates one sanding pass
- + Aggressive stock removal even with the hardest materials
- + Power Y web for effective grinding and high self-sharpening effect
- + Grain: Cubitron II ceramic grain



Material science:
The ceramic grain is a sintered grain with excellent hardness and toughness. It is therefore mainly used in metal grinding. In the finished sintered form, like here, the micro-fine structure breaks into smaller parts and shows an outstanding cutting and grinding power.

Product	Description	Piece/VE	Item.-No.
	ABRAPRIME BELT ABRASIVES		
	750 x 200 mm 3M Cubitron II MTD		
	750 x 200mm Grit 36	5	ABRA-1350 1032 A00A
	750 x 200mm Grit 50	5	ABRA-1350 1052 A00A
	750 x 200mm Grit 60	5	ABRA-1350 1062 A00A
	750 x 200mm Grit 80	5	ABRA-1350 1082 A00A
	750 x 200mm Grit 120	5	ABRA-1350 1122 A00A
	ABRAPRIME DISC ABRASIVES		
	Ø 200 mm 3M 900DZ Cubitron II MTD		
	Ø 200 mm Korn 40	50	ABRA-1334 4049 A00A
	Ø 200 mm 3M 950U Cubitron II MTD		
	Ø 200 mm Korn 60	50	ABRA-1334 4069 A00A
	Ø 200 mm Korn 80	50	ABRA-1334 4089 A00A
	Ø 200 mm Korn 120	50	ABRA-1334 4129 A00A
	Ø 180 mm 3M 900DZ Cubitron II MTD		
	Ø 180 mm Korn 40	50	ABRA-1338 0049 A00A
	Ø 180 mm 3M 950U Cubitron II MTD		
	Ø 180 mm Korn 60	50	ABRA-1338 0069 A00A
	Ø 180 mm Korn 80	50	ABRA-1338 0089 A00A
	Ø 180 mm Korn 120	50	ABRA-1338 0129 A00A
	Ø 150 mm 3M 900DZ Cubitron II MTD		
	Ø 150 mm Grit 40	50	ABRA-1335 1049 A00A
	Ø 150 mm 3M 950U Cubitron II MTD		
	Ø 150 mm Grit 60	50	ABRA-1335 3065 A00A
	Ø 150 mm Grit 80	50	ABRA-1335 308M A00A
	Ø 150 mm Grit 120	50	ABRA-1335 3129 A00A
	Ø 150 mm Grit 150	50	ABRA-1335 3159 A00A
	Ø 150 mm 3M Cubitron 950U II 17 Loch MTD		
	Ø 150 mm Grit 60	50	ABRA-1335 5063 A00A
	Ø 150 mm Grit 80	50	ABRA-1335 5083 A00A
	Ø 150 mm Grit 120	50	ABRA-1335 5123 A00A
	Ø 150 mm Grit 150	50	ABRA-1335 5153 A00A

Product	Description	Piece/VE	Item.-No.
	Ø 150 mm 3M 775L Cubitron II Multiloch MTD		
	Ø 150 mm Grit 80	50	ABRA-1335 3085 A00A
	Ø 150 mm Grit 120	50	ABRA-1335 3125 A00A
	Ø 150 mm Grit 150	50	ABRA-1335 3155 A00A
	Ø 150 mm Grit 180	50	ABRA-1335 3189 A00A
	Ø 150 mm Grit 220	50	ABRA-1335 3228 A00A
	Ø 150 mm Grit 240	50	ABRA-1335 3248 A00A
	Ø 150 mm Grit 320	50	ABRA-1335 3325 A00A
	Ø 150 mm Grit 400	50	ABRA-1335 3409 A00A
	Ø 140 mm 3M 900DZ Cubitron II MTD		
	Ø 140 mm Grit 40	50	ABRA-1331 3049 A00A
	Ø 140 mm 3M 950U Cubitron II MTD		
	Ø 140 mm Grit 60	50	ABRA-1331 3065 A00A
	Ø 140 mm Grit 80	50	ABRA-1331 3085 A00A
	Ø 140 mm Grit 120	50	ABRA-1331 3125 A00A
	Ø 115 mm 3M 900DZ Cubitron II MTD		
	Ø 115 mm Grit 40	50	ABRA-1335 0049 A00A
	Ø 115 mm 3M 950U Cubitron II MTD		
	Ø 115 mm Grit 60	50	ABRA-1335 0072 A00A
	Ø 115 mm Grit 80	50	ABRA-1335 0092 A00A
	Ø 115 mm Grit 120	50	ABRA-1335 0132 A00A




SANDING OF SURFACES



Zircon: The Extra Sharp Top Runner

- + Premium quality with a very sharp zirconium grain
- + Very good price-performance ratio with high efficiency
- + 4-5 times higher durability compared to corundum due to hard grain and self-sharpening effect
- + Cool grinding and quick removal
- + Power Y web for effective grinding and high self-sharpening effect
- + Grain: zirconium



Material science:
The zirconium is a mineral of the class zirconium silicate. Zircon is one of the earliest mineral formations on earth. The oldest known zircon crystals are up to 4.4 billion years old. It is a grain that is also suitable for stainless steels, which, thanks to its excellent cutting behavior, allows less temperature to be generated. The grain is finer in structure than corundum.

Product



Description

Ø 150 mm Zircon ^{MTD}

- Ø 150 mm Grit 24
- Ø 150 mm Grit 36
- Ø 150 mm Grit 40
- Ø 150 mm Grit 60
- Ø 150 mm Grit 80
- Ø 150 mm Grit 100
- Ø 150 mm Grit 120

Piece/VE

Item.-No.

- | | |
|----|---------------------|
| 25 | ABRA-1335 1025 A00A |
| 25 | ABRA-1335 1035 A00A |
| 25 | ABRA-1335 1045 A00A |
| 50 | ABRA-1335 1065 A00A |
| 50 | ABRA-1335 1085 A00A |
| 50 | ABRA-1335 1105 A00A |
| 50 | ABRA-1335 1125 A00A |

Ø 140 mm Zircon ^{MTD}

- Ø 140 mm Grit 24
- Ø 140 mm Grit 36
- Ø 140 mm Grit 40
- Ø 140 mm Grit 60
- Ø 140 mm Grit 80
- Ø 140 mm Grit 100
- Ø 140 mm Grit 120

- | | |
|----|---------------------|
| 25 | ABRA-1331 3025 A00A |
| 25 | ABRA-1331 3036 A00A |
| 25 | ABRA-1331 3041 A00A |
| 50 | ABRA-1331 3061 A00A |
| 50 | ABRA-1331 3081 A00A |
| 50 | ABRA-1331 3101 A00A |
| 50 | ABRA-1331 3121 A00A |

Product



Description

ABRAPRIME BELT ABRASIVES

750 x 200 mm Zircon ^{MTD}

- | | | |
|----------------------|----|---------------------|
| 750 x 200mm Grit 24 | 5 | ABRA-1350 5023 A00A |
| 750 x 200mm Grit 36 | 5 | ABRA-1350 5033 A00A |
| 750 x 200mm Grit 40 | 5 | ABRA-1350 5043 A00A |
| 750 x 200mm Grit 50 | 10 | ABRA-1350 5050 A00A |
| 750 x 200mm Grit 60 | 10 | ABRA-1350 5063 A00A |
| 750 x 200mm Grit 80 | 10 | ABRA-1350 5083 A00A |
| 750 x 200mm Grit 100 | 10 | ABRA-1350 5103 A00A |
| 750 x 200mm Grit 120 | 10 | ABRA-1350 5123 A00A |

Piece/VE

Item.-No.

ABRAPRIME DISC ABRASIVES

Ø 200 mm Zircon ^{MTD}

- | | | |
|-------------------|----|---------------------|
| Ø 200 mm Grit 24 | 25 | ABRA-1333 4025 A00A |
| Ø 200 mm Grit 36 | 25 | ABRA-1333 4035 A00A |
| Ø 200 mm Grit 40 | 25 | ABRA-1333 4045 A00A |
| Ø 200 mm Grit 60 | 25 | ABRA-1333 4065 A00A |
| Ø 200 mm Grit 80 | 50 | ABRA-1333 4085 A00A |
| Ø 200 mm Grit 100 | 50 | ABRA-1333 4105 A00A |
| Ø 200 mm Grit 120 | 50 | ABRA-1333 4125 A00A |

Ø 180 mm Zircon ^{MTD}

- | | | |
|-------------------|----|---------------------|
| Ø 180 mm Grit 24 | 25 | ABRA-1338 0028 A00A |
| Ø 180 mm Grit 36 | 25 | ABRA-1338 0035 A00A |
| Ø 180 mm Grit 40 | 25 | ABRA-1338 0045 A00A |
| Ø 180 mm Grit 60 | 25 | ABRA-1338 0065 A00A |
| Ø 180 mm Grit 80 | 50 | ABRA-1338 0085 A00A |
| Ø 180 mm Grit 100 | 50 | ABRA-1338 0105 A00A |
| Ø 180 mm Grit 120 | 50 | ABRA-1338 0125 A00A |



SANDING OF SURFACES




Zirconia Alumina: The Universal Wood Floor Hero

- + High universal quality with aggressive grain
- + Triple durability compared to corundum by self-sharpening effect
- + Stable X web
- + Grain: zirconium corundum



Materials science:
The zirconium corundum combines the listed advantages of the materials corundum and zirconium.

Product	Description	Piece/VE	Item.-No.
	ABRAPRIME BELT ABRASIVES		
	750 x 200 mm Zirconia Alumina MTG		
	750 x 200mm Grit 24	5	ABRA-1350 4026 A00A
	750 x 200mm Grit 36	10	ABRA-1350 4038 A00A
	750 x 200mm Grit 40	10	ABRA-1350 4042 A00A
	750 x 200mm Grit 60	10	ABRA-1350 4062 A00A
	750 x 200mm Grit 80	10	ABRA-1350 4082 A00A
	750 x 200mm Grit 100	10	ABRA-1350 4102 A00A
	750 x 200mm Grit 120	10	ABRA-1350 4122 A00A
	750 x 250 mm Zirconia Alumina MTG		
	750 x 250 mm Grit 24	10	ABRA-1350 1031 A00A
	750 x 250 mm Grit 36	10	ABRA-1350 1035 A00A
	750 x 250 mm Grit 40	10	ABRA-1350 1049 A00A
	750 x 250 mm Grit 60	10	ABRA-1350 1069 A00A
	750 x 250 mm Grit 80	10	ABRA-1350 1089 A00A
	750 x 250 mm Grit 100	10	ABRA-1350 1109 A00A
	750 x 250 mm Grit 120	10	ABRA-1350 1127 A00A
	550 x 200 mm Zirconia Alumina MTG		
	550 x 200 mm Grit 24	10	ABRA-1350 4022 A00A
	550 x 200 mm Grit 36	10	ABRA-1350 4032 A00A
	550 x 200 mm Grit 40	10	ABRA-1350 4043 A00A
	550 x 200 mm Grit 60	10	ABRA-1350 4063 A00A
	550 x 200 mm Grit 80	10	ABRA-1350 4083 A00A
	550 x 200 mm Grit 100	10	ABRA-1350 4103 A00A
	550 x 200 mm Grit 120	10	ABRA-1350 4123 A00A




SANDING OF SURFACES



Corundum: The Price-Performance Star

- + Standard quality for normal requirements
- + Very good price quality ratio
- + Stable X web
- + Grain: aluminum oxide



Material science:
The corundum grain consists of aluminum oxide and is manufactured chemically. It does not contain any traces of iron, which could lead to reactions with the material to be ground. This tough, round grain is usually used for wood, spatula, filler and soft metals.

Product	Description	Piece/VE	Item.-No.
	ABRAPRIME BELT ABRASIVES		
	750 x 200 mm Corundum MITO		
	750 x 200mm Grit 16	5	ABRA-1350 1019 A00A
	750 x 200mm Grit 24	10	ABRA-1350 4024 A00A
	750 x 200mm Grit 36	10	ABRA-1350 4036 A00A
	750 x 200mm Grit 40	10	ABRA-1350 4040 A00A
	750 x 200mm Grit 60	10	ABRA-1350 4060 A00A
	750 x 200mm Grit 80	10	ABRA-1350 4080 A00A
	750 x 200mm Grit 100	10	ABRA-1350 4100 A00A
	750 x 200mm Grit 120	10	ABRA-1350 4120 A00A
	550 x 200 mm Corundum MITO		
	550 x 200 mm Grit 24	10	ABRA-1350 4021 A00A
	550 x 200 mm Grit 36	10	ABRA-1350 4031 A00A
	550 x 200 mm Grit 40	10	ABRA-1350 4041 A00A
	550 x 200 mm Grit 60	10	ABRA-1350 4061 A00A
	550 x 200 mm Grit 80	10	ABRA-1350 4081 A00A
	550 x 200 mm Grit 100	10	ABRA-1350 4101 A00A
	550 x 200 mm Grit 120	10	ABRA-1350 4121 A00A
	ABRAPRIME ROLL ABRASIVES		
	25/50 m x 200 mm Corundum MITO		
	25 m x 200 mm Grit 16	1	ABRA-1342 0016 A00A
	50 m x 200 mm Grit 24	1	ABRA-1342 0027 A00A
	50 m x 200 mm Grit 36	1	ABRA-1342 0037 A00A
	50 m x 200 mm Grit 40	1	ABRA-1342 0043 A00A
	50 m x 200 mm Grit 50	1	ABRA-1342 0053 A00A
	50 m x 200 mm Grit 60	1	ABRA-1342 0063 A00A
	50 m x 200 mm Grit 80	1	ABRA-1342 0083 A00A
	50 m x 200 mm Grit 100	1	ABRA-1342 0103 A00A
	50 m x 200 mm Grit 120	1	ABRA-1342 0123 A00A
	50 m x 200 mm Grit 150	1	ABRA-1342 0150 A00A

Product



Description

ABRAPRIME DISC ABRASIVES

Ø 200 mm Corundum MITO

Ø 200 mm Grit 16	25	ABRA-1333 4016 A00A
Ø 200 mm Grit 24	25	ABRA-1333 4024 A00A
Ø 200 mm Grit 36	50	ABRA-1333 4036 A00A
Ø 200 mm Grit 40	50	ABRA-1333 4040 A00A
Ø 200 mm Grit 60	50	ABRA-1333 4060 A00A
Ø 200 mm Grit 80	50	ABRA-1333 4080 A00A
Ø 200 mm Grit 100	50	ABRA-1333 4100 A00A
Ø 200 mm Grit 120	50	ABRA-1333 4120 A00A

Ø 180 mm Corundum MITO

Ø 180 mm Grit 16	25	ABRA-1338 0016 A00A
Ø 180 mm Grit 24	25	ABRA-1338 0024 A00A
Ø 180 mm Grit 40	25	ABRA-1338 0040 A00A
Ø 180 mm Grit 60	50	ABRA-1338 0060 A00A
Ø 180 mm Grit 80	50	ABRA-1338 0080 A00A
Ø 180 mm Grit 100	50	ABRA-1338 0100 A00A
Ø 180 mm Grit 120	50	ABRA-1338 0120 A00A

Ø 150 mm Corundum MITO


Ø 150 mm Grit 16	25	ABRA-1335 1016 A00A
Ø 150 mm Grit 24	25	ABRA-1335 1024 A00A
Ø 150 mm Grit 40	50	ABRA-1335 1040 A00A
Ø 150 mm Grit 60	50	ABRA-1335 1060 A00A
Ø 150 mm Grit 80	50	ABRA-1335 1080 A00A
Ø 150 mm Grit 100	50	ABRA-1335 1100 A00A
Ø 150 mm Grit 120	100	ABRA-1335 1120 A00A

STAIRS, CORNERS AND OTHERS



Product	Description	Piece/VE	Item.-No.
	ABRAPRIME DISC ABRASIVES		
	Ø 150 mm 3M Cubitron II 17 Loch MITO		
	Ø 150 mm Grit 60	50	ABRA-1335 5063 A00A
	Ø 150 mm Grit 80	50	ABRA-1335 5083 A00A
	Ø 150 mm Grit 120	50	ABRA-1335 5123 A00A
	Ø 150 mm Grit 150	50	ABRA-1335 5153 A00A
	Ø 115 mm 3M Cubitron II MITO		
	Ø 115 mm Grit 60	50	ABRA-1335 0072 A00A
	Ø 115 mm Grit 80	50	ABRA-1335 0092 A00A
	Ø 115 mm Grit 120	50	ABRA-1335 0132 A00A
	Ø 115 mm Corundum MITO		
	Ø 115 mm Grit 24	50	ABRA-1335 0024 A00A
	Ø 115 mm Grit 40	50	ABRA-1335 0040 A00A
	Ø 115 mm Grit 60	50	ABRA-1335 0060 A00A
	Ø 115 mm Grit 80	50	ABRA-1335 0080 A00A
	Ø 115 mm Grit 100	50	ABRA-1335 0100 A00A
	Ø 115 mm Grit 120	50	ABRA-1335 0120 A00A
	Ø 90 mm Corundum MITO (perforated for FESTOOL)		
	Ø 90 mm Grit 40	50	ABRA-1335 0041 A00A
	Ø 90 mm Grit 60	50	ABRA-1335 0061 A00A
	Ø 90 mm Grit 80	50	ABRA-1335 0081 A00A
	Ø 90 mm Grit 100	50	ABRA-1335 0101 A00A
	Ø 90 mm Grit 120	50	ABRA-1335 0121 A00A
	DELTA-Abrasives Zircon MITO (for FEIN Delta Sanding Machines)		
	Grit 40	100	ABRA-1331 1043 A00A
	Grit 60	100	ABRA-1331 1063 A00A
	Grit 80	100	ABRA-1331 1083 A00A
	DELTA-Abrasives Zircon MITO (for FESTOOL Delta Sanding Machines)		
	Grit 40	100	ABRA-1331 5041 A00A
	Grit 60	100	ABRA-1331 5061 A00A
	Grit 80	100	ABRA-1331 5081 A00A
	ABRAPRIME SPECIALS		
	Velcro nog plate red 115mm x M14 MITO	1	ABRA-1 3974 A00A

Product	Description	Piece/VE	Item.-No.
	ABRAPRIME DISC DOUBLE ABRASIVES		
	Ø 410 mm Silicon Carbide MITO		
	Ø 410 x 25 mm Grit 16	5	ABRA-1349 9016 A00A
	Ø 410 x 25 mm Grit 24	10	ABRA-1349 9024 A00A
	Ø 410 x 25 mm Grit 40	10	ABRA-1349 9040 A00A
	Ø 375 mm Silicon Carbide MITO		
	Ø 375 x 40 mm Grit 16	5	ABRA-1387 5016 A00A
	Ø 375 x 40 mm Grit 24	10	ABRA-1387 5024 A00A
	Ø 375 x 40 mm Grit 40	10	ABRA-1387 5040 A00A




SURFACE TREATMENT



HiPro-Pads

- + Aggressive, hard sanding pad for cleaning or structuring work
- + Effective but gentle removal of dirt
- + Material: 3M HiPro



Polishing Pads


- + High quality for cleaning and polishing work
- + Available in different degrees of hardness and dimensions
- + Material: nylon



Product	Description	Piece/VE	Item.-No.
	ABRAPRIME PAD HiPRO-PADS		
	Nylon/Silicon Carbide MTD		
	Ø 410 mm	3	ABRA-1390 0028 A00A
	Ø 150 mm	3	ABRA-1390 0129 A00A
	Ø 125 mm	5	ABRA-1390 0126 A00A
	Ø 115 mm	5	ABRA-1390 0124 A00A

Abrasive Pads

- + Aggressive, hard sanding pad for cleaning or abrading
- + Also ideal for polishing when using colorless oils
- + Material: nylon / corundum



Product	Description	Piece/VE	Item.-No.
	ABRAPRIME PAD ABRASIVES		
	Ø 410 mm Nylon/Corundum MTD		
	Ø 410 x 10 mm Grit 180 Ø 410 x 10 mm Grit 280	5 5	ABRA-1390 0108 A00A ABRA-1390 0110 A00A
	Ø 150 mm Nylon/Corundum MTD Ø 150 x 10 mm Grit 180	10	ABRA-1391 909 A00A

Product	Description	Piece/VE	Item.-No.
	ABRAPRIME PAD POLISHINGPADS		
	Ø 410 mm Nylon MTD		
	Ø 410 x 10 mm white	10	ABRA-1390 0018 A00A
	Ø 410 x 10 mm beige	10	ABRA-1390 0014 A00A
	Ø 410 x 10 mm green	10	ABRA-1390 0013 A00A
	Ø 410 x 10 mm black	10	ABRA-1390 0015 A00A
	Ø 410 x 20 mm white	5	ABRA-1390 0005 A00A
	Ø 410 x 20 mm beige	5	ABRA-1390 0010 A00A
	Ø 410 x 20 mm red	5	ABRA-1390 0008 A00A
	Ø 410 x 20 mm green	5	ABRA-1390 0006 A00A
	Ø 410 x 20 mm brown	5	ABRA-1390 0009 A00A
	Ø 410 x 20 mm black	5	ABRA-1390 0007 A00A
	Ø 150 mm Nylon MTD		
	Ø 150 x 10 mm white	5	ABRA-1390 0029 A00A
	Ø 150 x 10 mm beige	5	ABRA-1391 0031 A00A
	Ø 150 x 10 mm green	5	ABRA-1391 0030 A00A
	Ø 150 x 10 mm black	5	ABRA-1391 0028 A00A
	110x250x10 mm Nylon MTD		
	110x250x10 mm white	10	ABRA-1390 0064 A00A
	110x250x10 mm beige	10	ABRA-1390 0065 A00A
	110x250x10 mm green	10	ABRA-1390 0066 A00A
	Felt Polishing Disc 410 MTD	10	ABRA-1390 0038 A00A


SURFACE TREATMENT




Sanding Screen

- + Silicon carbide grain for fine sanding of wood
- + Open structure reduces clogging effects
- + A pad disc is recommended as a base
- + Ideal for fine finishing and intermediate sanding of all wood floor finishes
- + Grain: silicon carbide, on linen web

Materials science:
The silicon carbide grain is an artificially produced, hard, pointed and brittle grain. This property breaks it up again and again and offers very good sanding properties in the area of hard coatings.



Product	Description	Piece/VE	Item.-No.
	ABRAPRIME NET ABRASIVES		
	Ø 410 mm Silizium-Carbid		
	Ø 410 mm Grit 60	10	ABRA-1384 1063 A00A
	Ø 410 mm Grit 80	10	ABRA-1384 1083 A00A
	Ø 410 mm Grit 100	10	ABRA-1384 1103 A00A
	Ø 410 mm Grit 120	10	ABRA-1384 1123 A00A
	Ø 410 mm Grit 150	10	ABRA-1384 1153 A00A
	Ø 410 mm Grit 180	10	ABRA-1384 1183 A00A



CLEANING AND MAINTENANCE




Polishing Pads

- + High quality for cleaning and polishing work
- + Available in different degrees of hardness and dimensions
- + Material: nylon



HiPro-Pads

- + Aggressive, hard sanding pad for cleaning or structuring work
- + Effective but gentle removal of dirt
- + Material: 3M HiPro



Product	Description	Piece/VE	Item.-No.
ABRAPRIME PAD POLISHINGPADS			
	Ø 410 mm Nylon MTD		
	Ø 410 x 10 mm white	10	ABRA-1390 0018 A00A
	Ø 410 x 10 mm beige	10	ABRA-1390 0014 A00A
	Ø 410 x 10 mm green	10	ABRA-1390 0013 A00A
	Ø 410 x 10 mm black	10	ABRA-1390 0015 A00A
	Ø 410 x 20 mm white	5	ABRA-1390 0005 A00A
	Ø 410 x 20 mm beige	5	ABRA-1390 0010 A00A
	Ø 410 x 20 mm red	5	ABRA-1390 0008 A00A
	Ø 410 x 20 mm green	5	ABRA-1390 0006 A00A
	Ø 410 x 20 mm brown	5	ABRA-1390 0009 A00A
	Ø 410 x 20 mm black	5	ABRA-1390 0007 A00A
	Ø 150 mm Nylon MTD		
	Ø 150 x 10 mm white	5	ABRA-1390 0029 A00A
	Ø 150 x 10 mm beige	5	ABRA-1391 0031 A00A
	Ø 150 x 10 mm green	5	ABRA-1391 0030 A00A
	Ø 150 x 10 mm black	5	ABRA-1391 0028 A00A
	110x250x10 mm Nylon MTD		
	110x250x10 mm white	10	ABRA-1390 0064 A00A
	110x250x10 mm beige	10	ABRA-1390 0065 A00A
	110x250x10 mm green	10	ABRA-1390 0066 A00A
	Felt Polishing Disc 410 MTD	10	ABRA-1390 0038 A00A

Product	Description	Piece/VE	Item.-No.
ABRAPRIME PAD HiPRO-PADS			
	Nylon/Silicon Carbide MTD		
	Ø 410 mm	3	ABRA-1390 0028 A00A
	Ø 150 mm	3	ABRA-1390 0129 A00A
	Ø 125 mm	5	ABRA-1390 0126 A00A
	Ø 115 mm	5	ABRA-1390 0124 A00A

Specials


Product	Description	Piece/VE	Item.-No.
	ABRAPRIME ELASTICBRUSH EXTREME MTD (blue) We offer the following machine adapters:	1	ABRA-1114 A00A
	Adapter Numatic	1	ABRA-1151 A00A
	Adapter Targo Ergodisc	1	ABRA-1152 A00A
	Adapter Sorma	1	ABRA-1153 A00A
	Adapter Wirbel	1	ABRA-1154 A00A
	Adapter Set Columbus	1	ABRA-1156 A00A
	Adapter Set Lägler	1	ABRA-1157 A00A
	BERGERTOOL PADHOLDER EASY MTD 115x230	1	TOOL-10390
	BERGERTOOL PADHOLDER ERGO MTD 115x230	1	TOOL-10400
	BERGERTOOL PADHOLDER ERGO STIEL MTD Telescope, variable from 100-180 cm		TOOL-10410

ELASTIC FLOORS



Product	Description	Piece/VE	Item.-No.
	ABRAPRIME ELASTICBRUSH EXTREME (blue)	1	ABRA-1114 A00A
	We offer the following machine adapters:		
	Adapter Numatic	1	ABRA-1151 A00A
	Adapter Targo Ergodisc	1	ABRA-1152 A00A
	Adapter Sorma	1	ABRA-1153 A00A
	Adapter Wirbel	1	ABRA-1154 A00A
	Adapter Set Columbus	1	ABRA-1156 A00A
	Adapter Set Lägler	1	ABRA-1157 A00A
	ABRAPRIME INTERFACEPAD Ø 410	1	ABRA-1127 A00A
	ABRAPRIME INTERFACEPAD Ø 150	1	ABRA-1128 A00A
	ABRAPRIME INTERFACEPAD 115x230 mm	1	ABRA-1129 A00A
	ABRAPRIME ABRANET ACE Ø 406/ Grit 80	1	ABRA-1115 A00A
	ABRAPRIME ABRANET ACE Ø 406/ Grit 120	1	ABRA-1116 A00A
	ABRAPRIME ABRANET ACE Ø 406/ Grit 150	1	ABRA-1117 A00A
	ABRAPRIME ABRANET ACE Ø 150/ Grit 80	VE8	ABRA-1118 A00A
	ABRAPRIME ABRANET ACE Ø 150/ Grit 120	VE8	ABRA-1119 A00A
	ABRAPRIME ABRANET ACE Ø 150/ Grit 150	VE8	ABRA-1120 A00A
	ABRAPRIME ABRANET ACE 115x230/ Grit 80	VE8	ABRA-1121 A00A
	ABRAPRIME ABRANET ACE 115x230/ Grit 120	VE8	ABRA-1122 A00A
	ABRAPRIME ABRANET ACE 115x230/ Grit 150	VE8	ABRA-1123 A00A

Product	Description	Piece/VE	Item.-No.
	ABRAPRIME ABRANOP AN Ø 410		ABRA-1124A00A
	ABRAPRIME ABRANOP AN Ø 150	VE5	ABRA-1125A00A
	ABRAPRIME ABRANOP AN 115x230 mm	VE5	ABRA-1126A00A



WATER-BASED SYSTEMS



AQUASEAL® & AQUACHOICE®

The present and the future of wood floor finishing is based on water.

Water-based finishes of the latest generation impress with their outstanding performance and diversity. No matter what focus contractors or home owners have, whether high-traffic or simple living area, whether one- or two-component, whether sealer or finish, whether filler or problem solver, or simply fast workability: water-based solutions by Berger-Seidle offer all options.

The AQUASEAL® & AQUACHOICE® brand stands for premium water-based finishing for generations all over the world through all climate zones. This includes all categories of water-based finishes and offers additional extras. High quality health and safety conscious variety of products tested for compatibility.

The highly specialized AQUASEAL® technology represents globally award innovation, with products such as the world's first two-component water-based finish, completely without isocyanate or aziridine.

AQUASEAL® combines health protection, ecology, economics, user friendliness and reliable premium performance. A mature combination of permanent innovation and proven reliability, acknowledged numerous certificates: EC1 label, Blue Angel, Grüner Punkt, sports flooring certificates, LEED, or the fulfillment of numerous DIN standards for skid resistance, saliva fastness, children's toys conformity, fire safety and much more.

Water-based wood floor finishing options on highest level!



WATER-BASED SYSTEMS



Wood-filler Solutions

Product	Description	Shelf Life	VOC ASTM	Dry Time	Application / Consumption	Sheens / Color Shades / Item-No.	Certificates / Approvals	Packaging	Pallet
	AQUASEAL® POWERFILLER is a water-based, solvent-free filler solution for the preparation of wood-filler offering excellent filling property. The wood color is achieved by admixing the respective fine wood dust.	15 months*	49	-	 600-800 sf/gal	FILL-10000		1 us fl gal	108
	AQUASEAL® PAFUKIPOWDER COLOR is a solvent-free, scentless joint filler with excellent filling properties. The powder offers the colors of the desired wood color shade (no need to add wood dust). After adding water, the joint filler is ready to use. The great filling effect and fast drying within 20-30 minutes are outstanding. It can also be used in combination with AQUASEAL® PAK STOP.	60 months*	0	20-30 min.**	 600-800 sf/gal	Oak light, Beech/Red oak, Maple / Ash / Pine, Wenge / Smoked oak, Azobe / Teak, Black, White <i>All colors and Art-No. see colorchart page 35.</i>		1.37 us fl gal	33
	AQUASEAL® PAK STOP is a unique, extreme-performance, high-elastic trowel filler for closing wide joints; perfectly suitable also for plank flooring. It is certified to block problematic polycyclic aromatic hydro-carbons, for example, emerging from old adhesives under historical wood floors. By mixing AQUASEAL® PAK STOP with AQUASEAL® PAFUKIPOWDER COLOR, the final performance and individual color are easily achieved. <i>Find more product information on page 34-35.</i>	15 months*	47	14-16 hrs.**	 200-300 sf/gal	FILL-30000		1 us fl gal	96
	AQUASEAL® FLEXFILL COLOR is the silicone-free joint-filler on acrylate basis for sealing wood-floor joints. This high-quality specialty product is sandable in a short time and can be topcoated with all commercial wood floor finishes. AQUASEAL® FLEXFILL COLOR features an excellent adhesion and can be just as well used as adhesive. AQUASEAL® FLEXFILL COLOR is elastic, free of solvents and odor; it can be used on finished and unfinished hardwood-floors. <i>Find more product information on page 36-37.</i>	48 months*	0	18-24 hrs.**	-	Spruce / Fir / EU Maple, Ash / Pine / CA Maple, Oak light / Chestnut, Red oak / Cherry / Alder, Doussie / Merbau / Pear, Mahogany / Azobe / Teak, White, Light grey, Black, ... FILL-400XX (all colors and Art-No. see colorchart page 37)		Box of 12 Pieces Single 10,5 us fl oz	-
	AQUASEAL® FLEXFILL COLOR SET offers the matching set options: SYSTAINER-INSERT for 18 Cartridges of AQUASEAL® FLEXFILL COLOR, single AQUASEAL® FLEXFILL COLOR SPRAY BOTTLE, single BERGERTOOL APPLICATIONGUN M, single BERGER-SEIDLE SYSTAINER®, large, empty Complete set for FLEXFILL COLOR, empty	-	-	-	-	FILL-41000	-	-	-
	AQUASEAL® FLEXFILL COLOR DESKTOP COLOR CHART offers decorative sales support for your shop. AQUASEAL® FLEXFILL COLOR SAMPLE SET helps you choose the right color and is always with you due to its practical, compact size. The popular BERGER-SEIDLE® MINI-SYSTAINER® contains the color sample cards of all colors.	-	-	-	-	FILL-41100 FILL-41200	-	-	-

WATER-BASED SYSTEMS


Berger-Seidle®
...wood floors deserve the best!

AQUASEAL® PAK STOP Durable and flexible Joint Filling for sustainable Floor Renovation

The Task

Everyone knows the situation: there are construction sites with special challenges! This is especially true for joints/gaps that cannot be filled with the usual sealing products. The following questions quickly arise, for example:

- How do I maintain and rehabilitate an old floor with PAK contamination?
- How do I solve the joint problem on old floors in general?
- How do I deal with wide or changing joints?
- How do I certifiably isolate the subfloor from the surface?
- How do I color match special joints?
- How do I fill a joint solidly and over-sealable?
- How do I solve cases of old parquet adhesives, leveling compounds or cardboard constructions generally?




Old floors are particularly critical if the old adhesive or subfloor construction contains PAKs (polycyclic aromatic hydrocarbons). The best-known component of PAKs is benzo(a)pyrene, a substance that is now known to be a carcinogenic, mutagenic and fruit-damaging. PAKs normally occur in dust form and are released into the indoor air via existing parquet joints into the indoor air. All old floors from before 1976 are to be regarded as critical, because black coal tar pitch adhesive was often used here, which contains PAHs and makes prophylactic remediation is recommended.

The solution: AQUASEAL® PAK STOP

You can answer these cases and questions with AQUASEAL® PAK STOP! The product offers numerous advantages:

- + solvent free
- + water based
- + highly elastic
- + individual coloration options
- + very environmentally friendly
- + strongly isolating properties
- + low-smelling
- + silicone free
- + sandable
- + very low shrinkage
- + over-coatable
- + excellent adhesion
- + multi purpose usability
- + fast drying
- + saves money for renovation of old floors
- + certified PAK renovation



This means for your special cases: with AquaSeal® PAK STOP you save risk, total remediation, waste, money and have a safe solution in the proven, certified and unique Berger-Seidle system. Especially in the case of PAK renovation, the encapsulation properties by AquaSeal® PAK STOP also replaces legal duties and risks for the renovating company. Joints are sealed and leakage is prevented.

The application is simple: AQUASEAL® PAK STOP is mixed with 30% AQUASEAL® PAFUKIPOWDER COLOR in the desired color. Done! Follow the further instructions in the technical data sheet.

Die Farbwelt von AQUASEAL® PAFUKIPOWDER COLOR

White FILL-20006	Maple/Ash/Pine FILL-20003	Oak light FILL-20001	Jarrah / Red Eucalyptus / Brazilian Cherry FILL-20008
Black FILL-20007	Beech/Red oak FILL-20002	Azobe/Teak FILL-20005	Wenge/Smoked oak FILL-20004



WATER-BASED SYSTEMS

Berger-Seidle®
...wood floors deserve the best!



AQUASEAL® FLEXFILL COLOR

The perfectly matched premium Wood Gap Filler Safe, Flexible and Colorful

AQUASEAL® FLEXFILL COLOR is the silicone-free, acrylic-based problem solver for sealing wood floor gaps in the surface as well as in edge areas. This high-quality specialty can be quickly sanded, over-coated and combined with all standard parquet finishes. It is stable, 1-component, can be leveled by trowel and bridges natural movements of the wood up to certain point. AQUASEAL® FLEXFILL COLOR performs with a strong adhesion and can therefore also be used as a glue. It is elastic, solvent-free, non-smelling and can be used on both sealed and unsealed wood floors. The latest generation of the product offers you all around advantages.

Matching Products in Combination

- BERGERTOOL SMARTCORD:** The ideal solution for pre-filling large gaps before you use AQUASEAL® FLEXFILL COLOR
- BERGER-SEIDLE SYSTAINER®:** Perfect for the safe and representative transport
- FLEXFILL SYSTAINER®-INSERT:** Cartridges ideally arranged for use in the SYSTAINER®
- FLEXFILL SPRAY BOTTLE:** The right spray bottle fits perfectly in the SYSTAINER®
- BERGERTOOL APPLICATIONGUN:** The suitable cartridge press BERGERTOOL APPLICATIONGUN M for the SYSTAINER® insert

The Advantages

- + Solvent free
- + Sandable
- + Silicone free
- + Very low shrinkage
- + Non-smelling
- + Ideal elasticity
- + Fast drying
- + Over-coatable
- + Excellent adhesion
- + Multipurpose useability
- + Very colorful with 15 ready standard colors
- + Several wooden color shades plus modern shades of grey, white and black available
- + Can be combined perfectly with matching BERGER-SEIDLE SYSTAINERS® and SYSTAINER® inserts



World of Colors

The possibilities of printing to reproduce colors are limited. For this reason, slight differences may occur between the colors printed and the true shades. We therefore recommend making samples for approval in any case.

Beech Light / Red Oak Light / Yew
FILL-40002

Spruce / Fir / Maple
FILL-40001

Beech Dark / Red Oak Dark / Cherry / Alder
FILL-40005

Ash / Pine / Hard Maple
FILL-40004

Jarrah / Red Eucalyptus / Brazilian Cherry
FILL-40016

Doussie / Merbau / Pear
FILL-40008

Oak Light / Chestnut
FILL-40007

Mahogany / Azobe / Teak
FILL-40011

Oak Dark
FILL-40010

Wenge / Smoked Oak
FILL-40014

Afromosia / Iroko / Jatoba
FILL-40013

White
FILL-40003

Light Grey
FILL-40006

Medium Grey
FILL-40009

Dark Grey / Anthracite
FILL-40012

Black
FILL-40015

WATER-BASED SYSTEMS



Sealers

Product	Description	Shelf Life	VOC ASTM	Dry Time	Application / Consumption	Sheens / Color Shades / Item-No.	Certificates / Approvals	Packaging	Pallet
	AQUASEAL® FLEXSEALER is a 1-component, water-based sealer reducing sidebonding, for all our AQUASEAL® finishes. AQUASEAL® FLEXSEALER features a medium grain enhancement and a neutral color look. It can be applied on all floors sanded down to bare wood.	15 months*	149	1 hrs.**	 Micro. Plus / Univers. Roller 300-500 sf/gal	PRIM-10000		1 us fl gal	108
	AQUASEAL® EXOBLOC is a 1-component, water-based sealer with beautifully, intense grain enhancement properties and excellent adhesion on many floors. Thanks to its high blocking effect against a variety of wood ingredients it is the perfect solution for most exotic woods and woods believed to have salt. AQUASEAL EXOBLOC is not intended for use over solvent based stains.	15 months*	231	1-2 hrs.**	 Micro. Plus / Univers. Roller 300-500 sf/gal	PRIM-20000		1 us fl gal	108
	AQUASEAL® EXOBLOC TURBO is a booster for AQUASEAL® EXOBLOC. After adding in the mixing ratio 1:10 to AQUASEAL® EXOBLOC, EXOBLOC can be applied already after 2 hours on CLASSIC EXPRESSSTAIN COLOR.	12 months*	440	-	-	PRIM-20001		13 us fl oz	792
	AQUASEAL® PINKQUALIZER is a water-based reactive stain, eliminating pink and red colors in many reddish wood species. This 2-component products can be used in just one application step and can be used combination with all our water-based finishes, sealers as well as CLASSIC BASEOIL COLOR.	12 months*	0	12 hrs.**	 2200-2500 sf/gal	PRIM-60002 (Component A+B in our MixBox)		2x1 us fl gal	30

Hardwood-floor Finishes 2K

Product	Description	Shelf Life	VOC ASTM/Mixed	Dry Time	Application / Consumption	Sheens / Color Shades / Item-No.	Certificates / Approvals	Packaging	Pallet
	AQUASEAL® GREENSTAR is a 2-component, waterborne, premium wood floor finishing product. Based on polyurethane, it offers outstanding resistance and workability. Although it is 2-component, the product (including the hardener) is completely free of hazard labelling, and contains no isocyanate, no aziridine, no H- and P-phrases according CLP legislation, and causes no CO ₂ gas by the reaction. Also, the product offers an extremely long pot life after mixing of component A and B of at least 18 hours. Based on its special properties and elasticity, the product is approved for cork floors and also achieves outstanding chemical resistance. <i>Find more product information on page 40-41.</i>	18 months*	(um) 222/202 (st) 212/193 (sg) 214/195 (gl) 155/141 hardener 0	3-4 hrs.**	 Micro. Plus / Univers. Roller 350-550 sf/gal	ultramat, satin, semigloss, gloss FINI-10102 (um incl. hard.) FINI-10115 (st incl. hardener) FINI-10122 (sg incl. hard.) FINI-10132 (gl incl. hard.)	 DIN V 18032-2 DIN EN 14904 DIN 71-3 DIN 53160 DIN 51130 (R9) (R10/R11 with Add) AS 4586:2013 (P5)	1.5 us fl gal	63
	AQUASEAL® CERAMICSTAR is a 2-component, waterborne, premium wood floor finishing product. It is based on polyurethane and offers outstanding resistance, an universal high-end applicability and workability offering a slightly lower level of viscosity. The product is very easy-to-use and offers an extremely strong level of robustness, supported by its ceramic components. It is the ideal product for the fast installation job, as the finished floor can be used after just 12 hours. Also especially for the renovation of older floors, the product is the perfect solution. It achieves top-level results by shielding old substances inside the wood, such as salt from winter times, and so it maximizes the level of safety.	15 months*	(um) 129/158 (st) 131/159 (sg) 142/169 (um) hard. 444 (st,sg) hard. 443	3-4 hrs.**	 Micro. Plus / Univers. Roller 350-450 sf/gal	ultramat, satin, semigloss FINI-10230 (ultramat) FINI-10231 (ultramat hardener) FINI-10210 (satin) FINI-10211 (satin hardener) FINI-10220 (semigloss) FINI-10221 (semigloss hardener)	 DIN 71-3 DIN 51130 (R9) (R10/R11 with Add) DIN EN 13501-1 Class Cfl-s1 (sg) AS 4586:2013 (P5)	1 us fl gal (boxes of 3)	90

WATER-BASED SYSTEMS

Berger-Seidle®
...wood floors deserve the best!

AQUASEAL® GREENSTAR - The First Waterborne Two Component Finish without any Hazard Labelling on Hardener According CLP Legislation

Simply green – this is the revolution of 2-component wood floor finishing. With the introduction of their innovation AQUASEAL® GREENSTAR in 2016, Berger-Seidle® became the first to offer a **two-component finish system completely free of any hazard labelling** on the hardener. As the product is Isocyanate and Aziridine free, it avoids any H- and P- statements on the label. Wood finishing professionals **no longer have to work with protective measures normally required for products containing isocyanates**. This constitutes a new level and generation of environmental, user, and health protection. In addition, AQUASEAL® GREENSTAR **does not emit any CO₂ gasses** during the reaction as conventional 2-component systems must as a result of their technology.

This new technological innovation from Berger-Seidle® features not only first-class 2-Component performance in a water based finish but also the **highest resistance values, cork approval**, and unmatched user friendliness.




As a top product at Berger-Seidle®, AQUASEAL® GREENSTAR also offers **numerous comprehensive certifications and approvals**. Wood flooring professionals and homeowners are ensured added safety and technical flexibility. The certificates and awards range from **slip resistance class R9-11, sport floor approval** and **kids toy compatibility** to sweat and **saliva resistance** and **EC1/EC2 very low VOC emission**.

The extremely long pot life of AQUASEAL® GREENSTAR offers an additional highlight. While traditional 2-component waterborne finishes have to be used within 2 hours after mixing, AQUASEAL® GREENSTAR offers a **minimum pot life of 18 hours**. When a wood finishing professional mistakenly mixes up too much product in the evening, they can **still use excess product the next morning** making assuring cost savings and bringing environmental waste to a minimum.



The Advantages

- + No hazard labeling
- + Completely without isocyanate or aziridine
- + Requires no isocyanate protection measures
- + No CO₂ gases during reaction
- + Cork floor certified
- + Certified EC1/EC2 very low VOC emission
- + 2K commercial grade **top performance and resistance**
- + **water based with 4 gloss levels: ULTRAMAT, MAT/SATIN, SEMIGLOSS, GLOSS**
- + **Outstanding 18 hours pot life** after mixture, **full cure** of finished floor after **48 hours**
- + **Sweat and saliva certified according** DIN 53160
- + **Skid resistance level R9 certified** acc. DGUV Regel 108-003/BGR 181 and DIN 51130 (**R10/R11 also certified with additive**)
- + **Sports floor certified** according DIN 18032-2 and **FIBA approved equipment** (sheen MAT/SATIN)
- + **Toy certified** according DIN EN 71-3
- + **Ideal also for PAK renovation** in combination with AQUASEAL® PAK STOP






WATER-BASED SYSTEMS

Berger-Seidle®
...wood floors deserve the best!



Hardwood-floor Finishes 2K

Product	Description	Shelf Life	VOC ASTM/Mixed	Dry Time	Application / Consumption	Sheens / Color Shades / Item-No.	Certificates / Approvals	Packaging	Pallet
	AQUASEAL® NATURALWHITE is a 2-component, waterbourne premium wood floor finishing product. It is based on polyurethane and offers outstanding resistance and a universal high-end applicability and workability. It achieves an outstanding invisible "untreated wood look" for specifically light wood species. Its excellent curing time offers a full usage and furniture move in after just 24 hours. Its extremely low gloss level is outstanding and unique. <i>Find more product information on page 44-45.</i>	15 months*	121/150 hard. 444	3-4 hrs.**	 Micro. Ultraslim / Univers. Roller 350-550 sf/gal	naturalwhite FINI-10310 FINI-10311 (hardener)	 DIN 51130 (R10) (R11 with Add) DIN 71-3 DIN 53160-1-2	1 us fl gal (boxes of 3)	90
	AQUASEAL® ROYALMAT is a 2-component, waterbourne premium wood floor finishing product. It is based on polyurethane and offers outstanding resistance and a universal high-end applicability and workability. It achieves an outstanding invisible "untreated wood look" for all wood species especially dark wood species. Its excellent curing time offers a full usage and furniture move in after just 24 hours. Its extremely low gloss level is outstanding and unique. <i>Find more product information on page 44-45.</i>	15 months*	121/150 hard. 444	3-4 hrs.**	 Micro. Plus / Univers. Roller 350-550 sf/gal	royalmat FINI-10410 FINI-10411 (hardener)	 DIN 51130 (R10) (R11 with Add) DIN 71-3 DIN 53160-1-2	1 us fl gal (boxes of 3)	90
	AQUASEAL® SMARTSTAR is a 2-component, water-based wood floor finish based on polyurethane with an outstanding price-performance ratio. Due to its very good resistance, AQUASEAL® SMARTSTAR is ideally suited for high-traffic areas. The floor surface can be fully used after a drying time of just 72 hours.	15 months*	183/206 185/208 hard. 443	3-4 hrs.**	 Micro. Plus / Univers. Roller 350-450 sf/gal	satin semigloss FINI-10910 (ST) FINI-10911 (SG)	 DIN 51130 (R10) (R11 with Add) DIN 71-3 DIN 53160-1-2	1.45 us fl gal (boxes of 3) (incl. hardener)	63
	AQUASEAL® ELASTICSTAR is a 2-component waterborne finish based on polyurethane for long-term protection. The product offers high resistance to wear and chemicals, it is tough-elastic and highly recommended for high-traffic floors. AQUASEAL® ELASTICSTAR is suitable for smooth or structured PVC, CV, linoleum, rubber/caoutchouc and PU/PUR/expoxy coated floor coverings. AQUASEAL® ELASTICSTAR is non-yellowing.	15 months*	175/188 hard. 323	2-3 hrs.**	 Micro. Roller / Univers. Roller 350-450 sf/gal	satin FINI-13120	 DIN 51130 (R9) (R10 with Add) DGV 108-003 DIN 18032-2 DIN EN 14904	1.45 us fl gal  (incl. hardener)	60
	AQUASEAL® ELASTICSTAR COLOR is a 2-component waterborne finish based on polyurethane for long-term protection. The product offers high resistance to wear and colorless chemicals. Due to its high solid content and tough-elastic properties it is recommended for high-traffic floors. AQUASEAL® ELASTICSTAR COLOR is suitable for the colored restoration of elastic floor coverings, such as smooth or structured PVC, CV, linoleum, rubber/caoutchouc and PU/PUR/expoxy coated. AQUASEAL® ELASTICSTAR can also be used on sports floors and antiskid coverings. It is available in all RAL Classic, NCS-S, Sikkens 4041 as well as Pantone colors. Individual colors based on samples are available on request.	15 months*	177/190 hard. 323	2-3 hrs.**	 Micro. Roller / Univers. Roller 350-450 sf/gal	FINI-13210 (Price valid for standard pigmentation. Special co- lors might differ in single cases)	 DIN 51130 (R9) (R10 with Add) DGV 108-003 DIN 18032-2 DIN EN 14904	1.45 us fl gal  (incl. hardener)	60
	AQUASEAL® ELASTICSTAR COLOR CHIPS	∞ months*	-	-	white anthracite black yellow orange red purple blue green brown light-medium gray	1 mm / 3 mm FINI-13305 / FINI-13306 FINI-13310 / FINI-13311 FINI-13315 / FINI-13316 FINI-13320 / FINI-13321 FINI-13325 / FINI-13326 FINI-13355 / FINI-13356 FINI-13330 / FINI-13331 FINI-13335 / FINI-13336 FINI-13340 / FINI-13341 FINI-13345 / FINI-13346 FINI-13350 / FINI-13351	 DIN 51130 (R9) (R10 with Add) DGV 108-003 DIN 18032-2 DIN EN 14904	1 mm 100 g bag  VE10 3 mm 100 g bag  VE10	

WATER-BASED SYSTEMS

Berger-Seidle®
...wood floors deserve the best!



The Original: Truly invisible finishing Perfection.

The original - truly invisible and simply beautiful! +
Ready after 24 hours! +
Particularly suitable for light wood species! +
Available also as a stain and oil! +
Performing the lowest possible gloss level on the globe! +

+ The original - truly invisible and simply beautiful!
+ Ready after 24 hours!
+ Particularly suitable for light wood species!
+ Performing the lowest possible gloss level on the globe!

AQUASEAL® NATURALWHITE

AQUASEAL® ROYALMAT



AQUASEAL® NATURALWHITE is a 2-component, waterbourne premium wood floor finishing product. It is based on polyurethane and offers outstanding resistance and a universal high-end applicability and workability. It performs an outstanding invisible "untreated wood look" for specifically light wood species. Its excellent curing time offers a full usage and furniture move in after just 24 hours. Its extremely low gloss level is outstanding and unique.



AQUASEAL® ROYALMAT is a 2-component, waterbourne premium wood floor finishing product. It is based on polyurethane and offers outstanding resistance and a universal high-end applicability and workability. It performs an outstanding invisible "untreated wood look" for all wood species especially dark wood species. Its excellent curing time offers a full usage and furniture move in after just 24 hours. Its extremely low gloss level is outstanding and unique.

WATER-BASED SYSTEMS



Hardwood-floor Finishes 1K

Product	Description	Shelf Life	VOC ASTM	Dry Time	Application / Consumption	Sheens / Color Shades / Item-No.	Certificates / Approvals	Packaging	Pallet
	AQUASEAL® ECOGOLD is a waterborne 1-component wood floor finish with outstanding resistances and workability, based on acrylic and polyurethane dispersions for all traffic classes. Based on its special properties and elasticity, the product is also approved for cork floors and offers a wide range of certifications.	15 months*	(satin) 147 (semigloss) 155 (gloss) 158	3-4 hrs.**	 Micro. Plus / Univers. Roller 350-550 sf/gal	satin, semigloss, gloss FINI-10510 (satin) FINI-10520 (semigloss) FINI-10530 (gloss)	 DIN 71-3, DIN 53160, DIN 51130 (R9/+Add R10), DIN EN 13501-1 (Efl)	1 us fl gal (boxes of 3)	90
	AQUASEAL® ECOSILVER is a water-borne 1-component wood floor finish for medium traffic areas with a very good price-performance ratio. Based on selected acrylic/polyurethane dispersions, this 1-component wood floor finish offers great properties and workability. The strong performance of three different gloss levels is outstanding in the industry.	15 months*	(ultramatt) 225 (semigloss, satin) 212	3-4 hrs.**	 Micro. Plus / Univers. Roller 350-550 sf/gal	ultramatt, satin, semigloss, silkgloss FINI-11610 (ultramatt) FINI-11620 (satin) FINI-11630 (semigloss) FINI-11640 (silkgloss)		1.32 us fl gal  (boxes of 4)	96
	AQUASEAL® SMARTHOME is a waterborne wood floor finish for all normal traffic areas. Based on selected dispersion qualities, having a good price-quality-ratio. Its perfect mixture of quality dispersions guarantees an outstanding workability in the segment of price focused, but quality assured wood floor finishing.	15 months*	(ultramatt) 225 (satin) 144 (semigloss) 149	3-4 hrs.**	 Micro. Plus / Univers. Roller 350-550 sf/gal	ultramatt, satin, semigloss FINI-10710 (ultramatt) FINI-10720 (satin) FINI-10730 (semigloss) FINI-10715 (ultramatt) FINI-10725 (satin) FINI-10735 (semigloss)	 (ST,SG)	1 us fl gal  (boxes of 3) 5 us fl gal	90 22
	AQUASEAL® NORDICWHITE is a fast drying, water based 1K finishing product for indoor wooden surfaces. It creates an individually flexible build-up of a decent modern Nordic white look. The number of layers create the preferred level of white. AQUASEAL® NordicWhite allows an easy, controlled and safe application and create a wonderfully smooth white, ultramat surface. Overcoating with approved further Berger-Seidle® finishes is possible.	15 months*	230	3-4 hrs.**	 Micro. Ultraslim / Univers. Roller 450-600 sf/gal	ultramatt FINI-10810		1 us fl gal (boxes of 3)	90

Problem-solvers and Special Systems

Product	Description	Shelf Life	VOC ASTM	Dry Time	Application / Consumption	Sheens / Color Shades / Item-No.	Certificates / Approvals	Packaging	Pallet
	AQUASEAL® LEVELGEL is a high-quality troweling gel, soft as butter. It is used as an intermediate layer between the finishes, leading to a perfectly smooth surface after the final finishing layer. This problem solver is used to bridge imperfect surfaces.	15 months*	147	30-60 min.**	 2200-2500 sf/gal	PRIM-70000		1.32 us fl gal 	54
	AQUASEAL® RETARDER is an additive for slowing down the reaction speed of Berger-Seidle AQUASEAL® water-based finishes. This product is recommended and useful for extremely dry and/or hot regions to normalize the finish's drying process. It helps to support a normal film building process.	48 months*	1040	-	max. 2% of finish	FINI-19010		2.5 us fl oz (units of 25)	1600
	AQUASEAL® ANTISLIP ADD is a surface structure generator on the basis of ceramics for AQUASEAL® GREENSTAR, AQUASEAL® CERAMICSTAR, AQUASEAL® ROYALMAT, AQUASEAL® NATURALWHITE and AQUASEAL® ELASTICSTAR. One gets a high-abrasion resistant, highly chemical resistant coating for high-traffic hardwood-floors. Together with AQUASEAL® ANTISLIP ADD additive the products meet the requirements of DIN 51130 with the anti-slip class R10/R11.	36 months*	-	Same as for the finish**	150-200g added per us fl gal	FINI-19020	 DIN 51130 (R10/R11)	2.7 us fl oz	
	AQUASEAL® UV PLUS is an additive that is added to water-based paints and protects wood from turning yellow caused by UV light. AQUASEAL® UV PLUS is particularly suitable for use on light-coloured wood.	6 months*	-	Same as for the finish**	max. 2% of finish	FINI-19030		100 ml	1600 x 100 ml

OIL SYSTEMS



CLASSICOIL

The Berger-Seidle oil systems combine tradition with latest high-end technology level of today and the future.

Sustainable and steady improvement of health and environmental protection is achieved by natural raw materials and mild ingredients.

CLASSIC OIL systems combine these goals with the highest expectations and standards in terms of appearance, brilliance, and user friendliness. CLASSIC OIL options cover all categories from impregnating oils, oil-wax combinations up to hard wax oils. Furthermore, these can be combined with many further products in the Berger-Seidle range, such as SOLVSEAL or AQUACHOICE products. The installer, the architect and the owner decide.

Outstanding is the endless color variety. Almost 60 standard colors are available and can be combined individually to endless new color shades - unique on the market. This basis of creativity leads to a whole new and individual wood flooring experience.

Premium oils offering endless possibilities.



OIL SYSTEMS

Berger-Seidle®
...wood floors deserve the best!



CLASSIC BASEOIL A Basis Characterized by High Quality and Universality

This CLASSIC OIL series product combines versatility in application with maximum environmental and consumer protection and occupational safety. Featuring a solid content of 100 vp, a very mild residual VOC and its renewable ingredients made of native oils, CLASSIC BASEOIL ranks among the most environmentally friendly oil-technique products.

CLASSIC BASEOIL was designed for easy, uniform application as well as intensive deep penetration. This makes it the perfect basis for oil. On this basis you can:

- a) work in one layer
- b) do the second layer as the top one in oil products (CLASSIC 100PROOIL, CLASSIC HARDOIL)
- c) build up multiple-layer coats with well-proven waterbased finish products

All exact system configurations of oil technique are listed in the module-system table on page 3 of the booklet CLASSIC OIL MODULE SYSTEM as well as in the data sheet.

In all cases we have the typical and much-loved oil look, i.e. grain enhancement and natural wood character. Because of its easy and even spreadability it is the most straightforward coloration technique with most intensive color effects made by Berger-Seidle. To shorten the drying time and to qualitatively improve the job at hand there is available, in case of need, the reactive agent CLASSIC PLUS. This is admixed and stirred in at the ratio 10:1.

Overview of Advantages

Mechanical-physical properties

- + Toy compliance as per DIN EN 71-3
- + Salvia and sweat compliance as per DIN 53160
- + Slip resistance as per DIN 51130 / BGR 181
- + Reduced edge-bonding and less side-bonding failures
- + Wear resistant surface
- + Impregnates deeply
- + Dirt-repellant
- + Highly elastic
- + Partial repairability (pure oil systems only)
- + Water-vapor impermeable
- + Extensive chem. resistancies

Classic look with charm

- + Natural look
- + Accentuation of wood color and grain
- + A touch of tradition
- + Option to customize color shade

Environment profile

- + 100 % solids (colorless)
- + Formula based on natural raw materials
- + Renewable raw materials
- + Resource-conserving due to low material consumption (about 20 to 50 g per sq m)
- + Drying with oxygen from air
- + Breathable



CLASSIC BASEOIL COLOR SAMPLE SET

The world of colors, applied on oak, beech or maple, convenient and perfectly protected by the BERGER-SEIDLE SYSTAINER®.

The world of colors is now also available on premium sample sets. The CLASSIC BASEOIL SAMPLE SET consists of two exclusive, handmade samples made from white oak, beech or maple. The samples show all CLASSIC BASEOIL COLOR, standard and trend, for physical visualization and presentation of the final oak, beech or maple surface. The samples are perfectly protected by the premium BERGER-SEIDLE SYSTAINER® box for a safe transport to customers. Order now and take the chance to perfectly present the world of individual coloration!

CLASSIC BASEOIL COLOR SAMPLE BOX

The world of colors available in a unique, sample kit, convenient and perfectly protected by the BERGER-SEIDLE SYSTAINER®.

The new unique CLASSIC BASEOIL SAMPLE CASE is an extremely convenient and fully equipped sample kit for the individual and flexible color shade sampling of all CLASSIC BASEOIL COLOR standard and trend colors. The kit contains more than 50 color sample cans, plus helpful application tools. The box is made of a solid wood construction, avoiding tilting of cans during transport completely. Existing colors can be presented and new color shades can be designed and created individually. The wooden box is perfectly protected by the matching premium BERGER-SEIDLE SYSTAINER® box for safe transport to customers. Order now and take the chance to perfectly present the world of individual coloration!



OIL SYSTEMS



Indoor Systems

Product	Description	Shelf Life	VOC ASTM	Dry Time	Application / Consumption	Sheens / Color Shades / Item-No.	Certificates / Approvals	Packaging	Pallet
	CLASSIC BASEOIL is a colorless penetrating oil for wood floors and other wood-en surfaces. It is based on natural, sustainable raw materials. Can be combined with oils, oil/wax systems and with many selected wood floor finishes made by Berger-Seidle. CLASSIC BASEOIL meets the requirements of DIN 51130 class R9, R10 and R11 as to slip resistance covering an outstanding number of certifications! It is ready-to-use and can be used as 1K or 2K in combination with hardener CLASSIC PLUS.	36 months*	1	24 hrs.**	  Microfaser Roller / Schaumst. Roller / Superpad / Pad 800-2000 sf/gal (Oak)	OILS-18110 (nature / colorless) OILS-10110 (nature / colorless) OILS-20110 (nature / colorless)	   DIN 71-3 DIN 53160 DIN 51130 (R9, R10, R11) EG 1935/2004	1.32 us fl gal 33.8 us fl oz 4.2 us fl oz	63 280
	CLASSIC BASEOIL COLOR is a colored version of CLASSIC BASEOIL, available in a unique number of standard colors. The colors can be mixed individually to customize each single floor. <i>The color palette and item numbers see page 54/55.</i>	36 months*	<200	24 hrs.**	  Microfaser Roller / Schaumst. Roller / Superpad / Pad 800-2000 sf/gal (Oak)	OILS-18XXX (see list) OILS-10XXX (see list) OILS-20XXX (see list)	   DIN 71-3 DIN 51130 (R9, R10, R11)	1.32 us fl gal 33.8 us fl oz 4.2 us fl oz	63 280
	CLASSIC BASEOIL COLOR SAMPLE BOX is a complete ready-to-use sample case for the individual and flexible color sampling of all our different CLASSIC BASEOIL COLOR shades. It contains over 50 color samples and many helpful testing tools. With it, not just existing ready-to-use colors can be presented, but also an endless number of individual shades can be mixed and created together with the customer. The box is made of solid wood and is perfectly packed in a high quality BERGER-SEIDLE SYSTAINER® box for the safe transport to customers and meetings.	24 months*	-	24 hrs.**	 	OILS- 12010	 DIN 71-3	-	-
	CLASSIC BASEOIL COLOR SAMPLE SET includes two handmade, premium quality color presenters made of solid white oak. The samples show all CLASSIC BASEOIL COLORS, standard and trend as well, and their appearance on oak for a physical impression. The samples are perfectly protected in a practical premium BERGER-SEIDLE SYSTAINER® box for the safe transport to customers and meetings.	-	-	-	-	OILS-12020 (Oak) OILS-12040 (Beech) OILS-12050 (Marple)	-	-	-
	CLASSIC 100PROOIL is an ecological deep impregnation oil-wax-system with 100% solid content. It is based on natural sustainable raw materials. Perfect brilliance and great resistances are achieved by this fine-tuned oil-wax-combination. CLASSIC 100PROOIL meets the requirements of DIN 51130 class R9 and R10 as to slip resistance.	36 months*	1	12 hrs.**	  Trowel / Superpad / Pad 800-2000 sf/gal (Oak)	OILS-18210 OILS-10210	   DIN 71-3 DIN 53160 DIN 51130 (R9, R10)	1.32 us fl gal 33.8 us fl oz	63 280
	CLASSIC HARDOIL is a natural, layer building, fast drying deep impregnation with a perfectly uniform matt look. It is made on basis of oils and resins from sustainable raw materials; CLASSIC HARDOIL will be applied in 2 coats. Suitable for high-traffic areas. CLASSIC HARDOIL meets the requirements of DIN 51130 class R9, R10 and R11 as to slip resistance.	24 months*	495	24 hrs.**	   Microfaser Roller / Universal Roller / Trowel / Pad 800-2000 sf/gal (Oak)	OILS-10310	 DIN 51130 (R9, R10)	1.32 us fl gal	63
	CLASSIC PLUS is for accelerating the drying process and improving the quality of CLASSIC BASEOIL, CLASSIC BASEOIL COLOR, CLASSIC HARDOIL and SOLVSEAL LT EXPORT® EXTRA. We recommend adding 10%.	12 months*	5	-	-	OILS-19010 OILS-19011	 DIN 51130	16.9 us fl oz 3.4 us fl oz	432 -
	CLASSIC BIOLYE is used for the preparatory lye treatment of wood prior to oiling with CLASSIC BASEOIL or prior to the classical soap treatment of coniferous woods with CLASSIC BIOSOAP. It reacts with the natural, biological wood ingredients. With it, the woods absorb greatly CLASSIC BASEOIL; CLASSIC BASEOIL COLOR shows even more intense colors. CLASSIC BIOLAUGE darkens oak wood; after oiling an antique effect is achieved. Coniferous woods darken similar to the natural light.	24 months*	0	24 hrs.**	 Universal Roller 350-550 sf/gal	OILS-10510	 DIN 51130	33.8 us fl oz 	280

OIL SYSTEMS



CLASSIC BASEOIL COLOR Standard Colors

Nature / Colorless OILS-18110 (1.32 gal) OILS-10110 (33.8 oz) OILS-20110 (4.2 oz)	Azobe OILS-18113 (1.32 gal) OILS-10113 (33.8 oz) OILS-20113 (4.2 oz)	Natural White OILS-18162 (1.32 gal) OILS-10162 (33.8 oz) OILS-20162 (4.2 oz)	Reed Green OILS-18135 (1.32 gal) OILS-10135 (33.8 oz) OILS-20135 (4.2 oz)	Lemon OILS-18122 (1.32 gal) OILS-10122 (33.8 oz) OILS-20122 (4.2 oz)	Red OILS-18125 (1.32 gal) OILS-10125 (33.8 oz) OILS-20125 (4.2 oz)
Pine OILS-18111 (1.32 gal) OILS-10111 (33.8 oz) OILS-20111 (4.2 oz)	Smoke OILS-18114 (1.32 gal) OILS-10114 (33.8 oz) OILS-20114 (4.2 oz)	Pure White OILS-18133 (1.32 gal) OILS-10133 (33.8 oz) OILS-20133 (4.2 oz)	Cement Grey OILS-18136 (1.32 gal) OILS-10136 (33.8 oz) OILS-20136 (4.2 oz)	Red Orange OILS-18123 (1.32 gal) OILS-10123 (33.8 oz) OILS-20123 (4.2 oz)	Violet OILS-18126 (1.32 gal) OILS-10126 (33.8 oz) OILS-20126 (4.2 oz)
Oak OILS-18112 (1.32 gal) OILS-10112 (33.8 oz) OILS-20112 (4.2 oz)	Old Oak OILS-18115 (1.32 gal) OILS-10115 (33.8 oz) OILS-20115 (4.2 oz)	Cashmere White OILS-18134 (1.32 gal) OILS-10134 (33.8 oz) OILS-20134 (4.2 oz)	Silver Grey OILS-18137 (1.32 gal) OILS-10137 (33.8 oz) OILS-20137 (4.2 oz)	Blue OILS-18127 (1.32 gal) OILS-10127 (33.8 oz) OILS-20127 (4.2 oz)	Dove Blue OILS-18130 (1.32 gal) OILS-10130 (33.8 oz) OILS-20130 (4.2 oz)
Pernambuco OILS-18116 (1.32 gal) OILS-10116 (33.8 oz) OILS-20116 (4.2 oz)	Walnut OILS-18119 (1.32 gal) OILS-10119 (33.8 oz) OILS-20119 (4.2 oz)	Platinum Grey OILS-18138 (1.32 gal) OILS-10138 (33.8 oz) OILS-20138 (4.2 oz)	Grey Brown OILS-18141 (1.32 gal) OILS-10141 (33.8 oz) OILS-20141 (4.2 oz)	Green OILS-18128 (1.32 gal) OILS-10128 (33.8 oz) OILS-20128 (4.2 oz)	Pastel Turquoise OILS-18131 (1.32 gal) OILS-10131 (33.8 oz) OILS-20131 (4.2 oz)
Teak OILS-18117 (1.32 gal) OILS-10117 (33.8 oz) OILS-20117 (4.2 oz)	Ebony OILS-18120 (1.32 gal) OILS-10120 (33.8 oz) OILS-20120 (4.2 oz)	Green Grey OILS-18139 (1.32 gal) OILS-10139 (33.8 oz) OILS-20139 (4.2 oz)	Black OILS-18142 (1.32 gal) OILS-10142 (33.8 oz) OILS-20142 (4.2 oz)	Old Pink OILS-18129 (1.32 gal) OILS-10129 (33.8 oz) OILS-20129 (4.2 oz)	Wine Red / Burgundy OILS-18132 (1.32 gal) OILS-10132 (33.8 oz) OILS-20132 (4.2 oz)
Bastard Teak OILS-18118 (1.32 gal) OILS-10118 (33.8 oz) OILS-20118 (4.2 oz)	Wenge OILS-18121 (1.32 gal) OILS-10121 (33.8 oz) OILS-20121 (4.2 oz)	Basalt Grey OILS-18140 (1.32 gal) OILS-10140 (33.8 oz) OILS-20140 (4.2 oz)	Deep Black OILS-18143 (1.32 gal) OILS-10143 (33.8 oz) OILS-20143 (4.2 oz)	Orange OILS-18124 (1.32 gal) OILS-10124 (33.8 oz) OILS-20124 (4.2 oz)	

CLASSIC BASEOIL COLOR Trend Colors

Cappucino OILS-18144 (1.32 gal) OILS-10144 (33.8 oz) OILS-20144 (4.2 oz)	Olive OILS-18145 (1.32 gal) OILS-10145 (33.8 oz) OILS-20145 (4.2 oz)	Salvia OILS-18146 (1.32 gal) OILS-10146 (33.8 oz) OILS-20146 (4.2 oz)	Glacier OILS-18153 (1.32 gal) OILS-10153 (33.8 oz) OILS-20153 (4.2 oz)	Ice Blue OILS-18154 (1.32 gal) OILS-10154 (33.8 oz) OILS-20154 (4.2 oz)	Laguna OILS-18155 (1.32 gal) OILS-10155 (33.8 oz) OILS-20155 (4.2 oz)
Pearl White OILS-18147 (1.32 gal) OILS-10147 (33.8 oz) OILS-20147 (4.2 oz)	Cape Cod Antique OILS-18148 (1.32 gal) OILS-10148 (33.8 oz) OILS-20148 (4.2 oz)	Alaska Driftwood OILS-18149 (1.32 gal) OILS-10149 (33.8 oz) OILS-20149 (4.2 oz)	Magnolia OILS-18156 (1.32 gal) OILS-10156 (33.8 oz) OILS-20156 (4.2 oz)	Latte Macchiato OILS-18157 (1.32 gal) OILS-10157 (33.8 oz) OILS-20157 (4.2 oz)	Pink Lady OILS-18158 (1.32 gal) OILS-10158 (33.8 oz) OILS-20158 (4.2 oz)
Vanilla OILS-18150 (1.32 gal) OILS-10150 (33.8 oz) OILS-20150 (4.2 oz)	Dune Sand OILS-18151 (1.32 gal) OILS-10151 (33.8 oz) OILS-20151 (4.2 oz)	Caramel OILS-18152 (1.32 gal) OILS-10152 (33.8 oz) OILS-20152 (4.2 oz)	Mint OILS-18159 (1.32 gal) OILS-10159 (33.8 oz) OILS-20159 (4.2 oz)	Caribbean OILS-18160 (1.32 gal) OILS-10160 (33.8 oz) OILS-20160 (4.2 oz)	Ocean OILS-18161 (1.32 gal) OILS-10161 (33.8 oz) OILS-20161 (4.2 oz)
White Oak OILS-18170 (1.32 gal) OILS-10170 (33.8 oz) OILS-20170 (4.2 oz)	Ultra White OILS-18171 (1.32 gal) OILS-10171 (33.8 oz) OILS-20171 (4.2 oz)				

The development of customized shades is possible, we just invoice the really needed hours on the cost basis of 140 Euro/h plus material costs. The possibilities of printing to reproduce colors are limited. For this reason, slight differences may occur between the colors printed and the true shades. Depending on the type of wood, deviations may occur. We therefore recommend making samples for approval in any case.

OIL SYSTEMS



Indoor Systems

Product	Description	Shelf Life	VOC ASTM	Dry Time	Application / Consumption	Sheens / Color Shades / Item-No.	Certificates / Approvals	Packaging	Pallet
	CLASSIC EXPRESSSTAIN COLOR is a fast-drying stain, based on quality oil modified resins, with a high level of renewable raw materials, CLASSIC EXPRESSSTAIN COLOR corresponds to the latest resin technology for solvent-based stains and offers over 30 different colors. The product is free of any dryers containing cobalt and solvents containing aromatics. The fast-drying properties are outstanding, overcoating can be done quickly. CLASSIC EXPRESSSTAIN COLOR is easy to apply and excellent to work with. The penetrating stain is technically a sealer, reduces side-bonding effects and is a perfect base for all AQUACHOICE® water-based finishes.	30 months*	<570	2-16 hrs.** depending on color	 brush, trim pad, soft towels, or carpet pad driven by a buffer 800-1000 sf/gal	OILS-3XXXX (see list)		1 us fl gal 1 us fl qt	63 280
	CLASSIC EXPRESSSTAIN COLOR SAMPLE SET includes a handmade, premium quality color presenters made of solid wood. The samples show all CLASSIC EXPRESSSTAIN COLORS and their appearance on oak, white oak, red oak and maple for a physical impression. The samples are perfectly protected in a practical premium BERGER-SEIDLE SYSTAINER® box for the safe transport to customers and meetings.	-	-	-	-	OILS-12070 (oak large) OILS-12071 (maple large) OILS-12060 (white oak small) OILS-12061 (red oak small) OILS-12062 (maple small) OILS-12063 (maple sport small)	-	with SYSTAINER® without SYSTAINER®	-



OIL SYSTEMS



CLASSIC EXPRESSSTAIN COLOR

Nature / Colorless OILS-38100 (1 gal) OILS-30100 (1 qt)	Golden Oak OILS-38127 (1 gal) OILS-30127 (1 qt)	Ultra White OILS-38137 (1 gal) OILS-30137 (1 qt)
Pine OILS-38108 (1 gal) OILS-30108 (1 qt)	Azobe OILS-38111 (1 gal) OILS-30111 (1 qt)	Country White OILS-38129 (1 gal) OILS-30129 (1 qt)
Sedona Red OILS-38128 (1 gal) OILS-30128 (1 qt)	Oak OILS-38101 (1 gal) OILS-30101 (1 qt)	White Oak OILS-38115 (1 gal) OILS-30115 (1 qt)
Red Orange OILS-38114 (1 gal) OILS-30114 (1 qt)	Old Oak OILS-38103 (1 gal) OILS-30103 (1 qt)	Nature Grey OILS-38131 (1 gal) OILS-30131 (1 qt)
Deep Sedona Red OILS-38135 (1 gal) OILS-30135 (1 qt)	Pernambuco OILS-38109 (1 gal) OILS-30109 (1 qt)	Natural White OILS-38116 (1 gal) OILS-30116 (1 qt)
Wenge OILS-38104 (1 gal) OILS-30104 (1 qt)	Walnut OILS-38110 (1 gal) OILS-30110 (1 qt)	Latte Macchiato OILS-38112 (1 gal) OILS-30112 (1 qt)
Provincial OILS-38134 (1 gal) OILS-30134 (1 qt)	Ebony OILS-38126 (1 gal) OILS-30126 (1 qt)	Rustic Beige OILS-38130 (1 gal) OILS-30130 (1 qt)
Bark OILS-38133 (1 gal) OILS-30133 (1 qt)	True Black OILS-38136 (1 gal) OILS-30136 (1 qt)	Classic Grey OILS-38125 (1 gal) OILS-30125 (1 qt)

Grey OILS-38113 (1 gal) OILS-30113 (1 qt)	Jacobean OILS-38122 (1 gal) OILS-30122 (1 qt)	Espresso Brown OILS-38121 (1 gal) OILS-30121 (1 qt)
Silver Grey OILS-38105 (1 gal) OILS-30105 (1 qt)	Early American OILS-38117 (1 gal) OILS-30117 (1 qt)	Antique Brown OILS-38119 (1 gal) OILS-30119 (1 qt)
Dove Blue OILS-38106 (1 gal) OILS-30106 (1 qt)	Special Walnut OILS-38118 (1 gal) OILS-30118 (1 qt)	Coffee Brown OILS-38120 (1 gal) OILS-30120 (1 qt)
Laguna OILS-38107 (1 gal) OILS-30107 (1 qt)	Nutmeg OILS-38123 (1 gal) OILS-30123 (1 qt)	Dark Walnut OILS-38132 (1 gal) OILS-30132 (1 qt)
	Medium Brown OILS-38124 (1 gal) OILS-30124 (1 qt)	Black OILS-38102 (1 gal) OILS-30102 (1 qt)



The development of customized shades is possible, we just invoice the really needed hours on the cost basis of 140 Euro/h plus material costs. The possibilities of printing to reproduce colors are limited. For this reason, slight differences may occur between the colors printed and the true shades. Depending on the type of wood, deviations may occur. We therefore recommend making samples for approval in any case.

OIL SYSTEMS



Outdoor Systems

Product	Description	Shelf Life	VOC ASTM	Dry Time	Application / Consumption	Sheens / Color Shades / Item-No.	Certificates / Approvals	Packaging	Pallet
	CLASSIC OUTDOOROIL is a colorless high-solid, environmentally friendly impregnation oil, based on native oils, designed for wood areas in outdoor locations. It exhibits deep penetration and excellent care effect. OUTDOOROIL® NATURE protects the wood and makes the wood surfaces repel dirt and water. Colorless, stresses the natural characteristic color of the individual wood specie.	36 months*	476	10-14 hrs.**	 Broad Brush / Brush 500-1000 sf/gal	colorless OILS- 10410	 DIN 71-3 DIN 53160	33.8 us fl oz	280
	CLASSIC OUTDOOROIL COLOR is a colored high-solid, environmentally friendly impregnation oil based on native oils, designed for wood areas in outdoor locations. It exhibits deep penetration and excellent care effect. OUTDOOROIL® PINE / BANGKIRAI protects the wood and makes the wood surfaces repel dirt and water. It is available in various standard colors.	36 months*	<487	10-14 hrs.**	 Broad Brush / Brush 500-1000 sf/gal	The color palette and article numbers can be found below on this page. OILS- 104XX (see color samples)	 DIN 71-3	33.8 us fl oz	280



CLASSIC OUTDOOROIL COLOR

COLORLESS 1-coat OILS-10410	NATURAL WHITE 1-coat OILS-10411	PURE WHITE 1-coat OILS-10412	SILVER GREY 1-coat OILS-10413	GREY 1-coat OILS-10414	BASALT GREY 1-coat OILS-10415	BLACK 1-coat OILS-10416
COLORLESS 2-coats OILS-10410	NATURALWHITE 2-coats OILS-10411	PURE WHITE 2-coats OILS-10412	SILVER GREY 2-coats OILS-10413	GRAY 2-coats OILS-10414	BASALT GREY 2-coats OILS-10415	BLACK 2-coats OILS-10416
PINE 1-coat OILS-10417	RED PINE 1-coat OILS-10418	PERNAMBUCO 1-coat OILS-10419	TEAK 1-coat OILS-10420	BASTARD TEAK 1-coat OILS-10421	WALNUT 1-coat OILS-10422	ROSEWOOD 1-coat OILS-10423
PINE 2-coats OILS-10417	RED PINE 2-coats OILS-10418	PERNAMBUCO 2-coats OILS-10419	TEAK 2-coats OILS-10420	BASTARD TEAK 2-coats OILS-10421	WALNUT 2-coats OILS-10422	ROSEWOOD 2-coats OILS-10423
LEMON 1-coat OILS-10424	RED 1-coat OILS-10425	GREEN 1-coat OILS-10426	BLUE 1-coat OILS-10427	DOVE BLUE 1-coat OILS-10430	CARMINE 1-coat OILS-10428	OLIVE GREEN 1-coat OILS-10429
LEMON 2-coats OILS-10424	RED 2-coats OILS-10425	GREEN 2-coats OILS-10426	BLUE 2-coats OILS-10427	DOVE BLUE 2-coats OILS-10430	CARMINE 2-coats OILS-10428	OLIVE GREEN 2-coats OILS-10429

The possibilities of printing to reproduce colors are limited. For this reason, slight differences may occur between the colors printed and the true shades. Depending on the type of wood, deviations may occur. We therefore recommend making samples for approval in any case.

SOLVENT-BASED SYSTEMS



SOLVSEAL

Water-based finishes of the AQUACHOICE family represents today the highest and most modern standard for finishing of wooden floors - and are therefore preferable to solvent-based alternatives.

However, for special reasons and cases, still the classic solvent-based finish or product is often required. In these cases, the solution must be also fully reliable and as mild and safe as possible.

The classic Berger-Seidle wood floor finishing systems of the SOLVSEAL line convince for over half a century by the highest quality, best results and are extremely proven and popular in practice. Despite the solvent based nature of this category, they have been continuously developed and upgraded by milder and more modern components, to ensure maximum health protection here.

Therefore, the program covers especially mild, natural oil based and sustainable raw materials. This leads to products with the highest possible solid content, and that means minimal solvents. All this comes with great workability, reliability and the best possible health protection within this category.

SOLVSEAL products represent the leading quality level in this category on the market with excellent performance and reputation in the professional world.

The traditional and powerful premium finishing for wood floors.



SOLVENT-BASED SYSTEMS



Wood-filler Solutions & Primers

Product	Description	Shelf Life	VOC ASTM	Dry Time	Application / Consumption	Sheens / Color Shades / Item-No.	Certificates / Approvals	Packaging	Pallet
	SOLVSEAL PAFUKISUPER is a solvent-based, colorless wood floor filler with excellent filling properties. The wood color shade is achieved by admixing the matching wood fine dust.	15 months*	743	-	 Trowel 700-900 sf/gal	FILL-50000		1.32 us fl gal 	96
	SOLVSEAL UNIQUICKPRIMER is a alcohol based sealer with grain enhancement property, properties. Suitable for use underneath almost all water- and solvent-based wood floor finishes made by Berger-Seidle. It isolates strongly the wood ingredients of various wood species.	15 months*	749	45-60 min.**	 Universal Roller 300-400 sf/gal	PRIM-30000		1.32 us fl gal	96

Hardwood-floor Finishes

Product	Description	Shelf Life	VOC ASTM	Dry Time	Application / Consumption	Sheens / Color Shades / Item-No.	Certificates / Approvals	Packaging	Pallet
	SOLVSEAL LT EXPORT EXTRA is a certified, skid-resistant wood floor finish, according DIN 18032-2 and suitable for sport areas. It is based on oil-modified urethanes and is ideal for wood paving, under-floor heating, industrial parquet and planks. For this product we offer a matched sport marking paint.	36 months*	(ultramat) 495 (satin) 496 (semigloss) 489 (gloss) 495	10-12 hrs.**	 350-550 sf/gal	FINI-50400 (ultramat) FINI-50401 (ultramat) FINI-50402 (ultramat) FINI-50202 (satin) FINI-50204 (satin) FINI-50203 (satin) FINI-50002 (semigloss) FINI-50004 (semigloss) FINI-50003 (semigloss) FINI-50102 (gloss) FINI-50104 (gloss) FINI-50103 (gloss)	 DIN 18032-2	5 us fl gal 1 us fl gal 1 us fl qt 5 us fl gal 1 us fl gal 1 us fl qt 5 us fl gal 1 us fl gal 1 us fl qt 5 us fl gal 1 us fl gal 1 us fl qt	22 63 280 22 63 280 22 63 280 22 63 280



BRILLIANCE

A hardwood floor is beautiful and a great individual masterpiece of installers' work.

To keep this beauty and brilliance even during everyday cleaning, maintenance and care, the right and perfectly matched care system is essential. Unknown third-party products are not matched, often ineffective or too aggressive – both harming the great surface of the floor.

Therefore, the perfectly matched, proven and tested maintenance and care products are needed and important – to chemically, physically and technically keep the floor's beauty for a very long time.

Berger-Seidle's maintenance and care products meet the highest demands in quality, comfort, ecology and beauty of the floor. They are exactly matched and tested with the whole program of finishing products, offering a solution for every case of finish and preference. Special products, for instance such as antistatic or sport versions, offer additional worlds of individually visual and functional floor maintenance.

Universal usage and high quality raw materials lead to an outstanding performance – being popular and well-proven since decades.

Beautiful floors of
lasting value with the
perfectly matched
maintenance system



MAINTENANCE & CARE SYSTEMS



Maintenance & Care Systems for sealed surfaces

Product	Description	Shelf Life	VOC ASTM	Dry Time	Application / Consumption	Sheens / Color Shades / Item-No.	Certificates / Approvals	Packaging	Pallet
	The BRILLIANCE STARTERSET 1 is perfectly matched to your beautiful, newly renovated wooden floor. It contains the cleaning product Brilliance NEUTRAL-CLEANER and the maintenance product BRILLIANCE EVERCLEAR. Both products are precisely matched to the needs of the sealing finish you have selected for your floor.	24 months*	Please refer single products	-	Please refer single products	CARE-11210		2 x 1l 	144 x 2l
	BRILLIANCE EVERCLEAR is a polish-free, slip resistant care product for finished wood surfaces, cork, plastics and linoleum used undiluted or admixed to cleaning water. The glossy version is certified according DIN 18032 for sport arenas and gyms. Thus, it also covers the former product version „STOP“.	24 months*	(gloss) 75 (satin) 270	-	CARE APPLICATOR 800-1400 sf/gal (Undiluted)	CARE-10210 (gloss) CARE-10220 (satin)	 DIN 18032	33.8 us fl oz 	280
	BRILLIANCE CLEANER L94 is a strong basic cleaner for removal of heavy dirt and old, dirty maintenance layers on finished wood floors. It can be used pure or diluted with cleaning water. It is designed for solvent-resistant, finished surfaces, manually or by cleaning machines.	48 months*	932	-	Cloth / Rag 2000 sf/gal (Undiluted)	CARE-10720 CARE-10710		1.32 us fl gal  33.8 us fl oz	60 280
	BRILLIANCE NEUTRALCLEANER is a concentrated cleaning product for easier dirt removal. It can be used on oiled, oiled/waxed and finished floors. Usage in conjunction with the BERGERTOOL SPRAYMOP COMFORTCLEAN as well as separately is recommended.	36 months*	774	-	BRILLIANCE SPRAYMOP COMFORTCLEAN	CARE-10120 CARE-10110		1.32 us fl gal  33.8 us fl oz	60 280
	BRILLIANCE BIOCLEAN is used especially for wet cleaning of sealed and oiled parquet, but also for other floors, doors, window frames and plastic surfaces. The product is available as a concentrate. The product is particularly suitable for use in mopping robots and other floor cleaning machines.	36 months*	87	-	BRILLIANCE SPRAYMOP COMFORTCLEAN, mopping robots, cleaning machines	CARE-11410		33.8 us fl oz	280

Brilliance SprayMop ComfortClean Comfortable Maintenance and Care every Day

The BRILLIANCE SPRAYMOP COMFORTCLEAN is your ideal every-day help for the maintenance and care of your premium wood floor or other floor surface. With its ergonomic design and functionality the need to go down on the floor is reduced to a minimum and increases the cleaning effect at the same time. The fine spraying leads to a well-controlled humidity level on the floor, and prevents from harmful ponding. The right tool and helping friend for comfort and long-term beauty of your floor.

Flexible, long-lasting and effective

The high-quality and handy construction offers a long-term usability. The tank can be refilled again and again with the matching maintenance and care products of Berger-Seidle. New covers are available to replace the old ones, if they are getting older, to keep the high cleaning properties for an efficient cleaning.

Cleaning and Protection with the matching Cleaner

Using the matching, tested and well-proven cleaner BRILLIANCE NEUTRALCLEANER offers an optimum cleaning result. Effective and reliably removing dirt, but at the same time mild enough to not harm the surface and beauty of the floor. With BRILLIANCE NEUTRALCLEANER, you avoid those risks and get the result you expect. The product can be used for both finished and oiled/waxed surfaces. For oiled/waxed floors, BRILLIANCE BIOSOAP is another popular and matching product.



MAINTENANCE & CARE SYSTEMS



Maintenance & Care Systems for oiled surfaces

Product	Description	Shelf Life	VOC ASTM	Dry Time	Application / Consumption	Sheens / Color Shades / Item-No.	Certificates / Approvals	Packaging	Pallet
	The BRILLIANCE STARTERSET 2 is perfectly matched to your beautiful, newly renovated wooden floor. It contains the cleaning product BRILLIANCE NEUTRAL-CLEANER and the maintenance product BRILLIANCE AQUAOILCARE. Both products are precisely matched to the needs of the impregnated finish you have selected for your floor.	24 months*	Please refer single products	-	Please refer single products	CARE-11220		2 x 1l	144 x 2l
	BRILLIANCE OILCARE is an oil/wax care product for oil-impregnated wooden surfaces. The product can also be sprayed and is particularly suitable for use in high-traffic areas. It perfectly refreshes the look of oiled surfaces.	36 months*	542 (NW) 520	16-24 hrs.**	Pad / Rag 2000-8000 sf/gal	CARE-10310 CARE-10320 (NATURALWHITE)	 	33.8 us fl oz 33.8 us fl oz  (NW)	300 300
	BRILLIANCE AQUAOILCARE is the water based, non-polish everyday care product for oil impregnated wooden surfaces. It is not self-flammable, very easy to apply and offers a beautiful, matt wooden surface with long-lasting protection. BRILLIANCE AQUAOILCARE is fast drying and re-impregnates the wood. Small scratches are covered and "healed", new scratches are reduced by a self-healing effect up to a certain point.	12 months*	9	-	CARE APPLICATOR 1000-1400 sf/gal	CARE-10410	 	33.8 us fl oz	280
	BRILLIANCE AQUASATINPOLISH is a water-based polishable care product for oiled and oiled/waxed parquet and hardwood-floors. Environmentally friendly, well polishable, good maintenance effect.	24 months*	43	-	CARE APPLICATOR 1000-1400 sf/gal	CARE-11520 CARE-11510	 	1.32 us fl gal  33.8 us fl oz 	96 280
	BRILLIANCE BIOSOAP is a wood-floor soap for wet cleaning and maintenance of oiled and oiled/waxed parquet and wooden floors. The product is based on natural and sustainable raw materials. The version „white“ leads to a beautiful "Scandinavian soap surface".	24 months*	679	-	-	CARE-10520 CARE-10510 CARE-10530 (WHITE)		1.32 us fl gal  33.8 us fl oz 33.8 us fl oz 	96 280 280
	BRILLIANCE FITPOLISH is a wax-containing care product for finished, oiled and waxed hardwood-floors as well as for other solvent-resistant surfaces (stone, plastic etc.); requires buffing after application.	24 months*	734	-	Sponge / Cloth 3000-6000 sf/gal	CARE-10810		33.8 us fl oz 	300
	BRILLIANCE NEUTRALCLEANER is a concentrated cleaning product for easier dirt removal. It can be used on oiled, oiled/waxed and finished floors. Usage in conjunction with the BERGERTOOL SPRAYMOP COMFORTCLEAN as well as separately is recommended.	36 months*	774	-	BRILLIANCE SPRAYMOP COMFORTCLEAN	CARE-10120 CARE-10110		1.32 us fl gal  33.8 us fl oz	60 280
	BRILLIANCE BIOCLEAN is used especially for wet cleaning of sealed and oiled parquet, but also for other floors, doors, window frames and plastic surfaces. The product is available as a concentrate. The product is particularly suitable for use in mopping robots and other floor cleaning machines.	36 months*	87	-	BRILLIANCE SPRAYMOP COMFORTCLEAN, mopping robots, cleaning machines	CARE-11410		33.8 us fl oz	280

MAINTENANCE & CARE SYSTEMS



Special Systems

Product	Description	Shelf Life	VOC ASTM	Dry Time	Application / Consumption	Sheens / Color Shades / Item-No.	Certificates / Approvals	Packaging	Pallet
	BRILLIANCE FILLANDFINISH is the joint protection/impregnation protecting against the penetration of moisture through the head and side joints of prefinished wood floor elements. This is very important for wood with its high moisture sensitivity.	24 months*	672	-	 2700-4100 sf/gal	CARE-10910		16.9 us fl oz 	560
	BRILLIANCE CLEANER L91 is for removal of stains, heel marks and dirty wax/polish films on all solvent-resistant surfaces; for basic and intermediate cleaning.	48 months*	758	-	-	CARE-10610		33.8 us fl oz	300
	BRILLIANCE ELASTICCLEANER is a basic cleaner for removal of soilings, self-shine maintenance films, wax coats and residues of adhesives. By its gentle alkalinity and strong dissolving capacity, it is perfect for final cleaning and basic cleaning and for intensive cleaning prior to the basic application of AQUACHoice ELASTICSTAR or BRILLIANCE EVERCLEAR. Suitable for smooth or structured PVC, CV, linoleum, rubber/caoutchouc and PU/PUR/epoxy coated floor coverings or artificial and natural stone floors.	24 months*	567	-	-	CARE-11010		1.32 us fl gal 	60
	BRILLIANCE SPRAYMOP COMFORTCLEAN is the ideal tool for the everyday cleaning of your premium hardwood-floor and other smooth surfaces. By its tank and spraying head, it offers now a very comfortable and also careful cleaning process without a frequent need to bend down. The high-quality manufactured mop and packaging offers in a set the BERGERTOOL SPRAYMOP COMFORTCLEAN including the tank and spraying equipment, the first cleaning pad and the first bottle of the mild ready-to-use cleaning product BRILLIANCE NEUTRALCLEANER.	-	-	-	-	CARE-12010 (Set) CARE-12020 (Single Cover)		Unit of 4 Sets Single Single Cover	11 x VE4

SPORT FLOOR SYSTEMS

Berger-Seidle®
...wood floors deserve the best!

SPORT B

Since 1926, Berger-Seidle® has been offering globally leading wood and gym sport floor finishes. In 1959, Berger-Seidle® was the official supplier at the World Expo in Brussels. Today, gym floors all over the world are finished with Berger-Seidle® products.

Berger-Seidle® is known as a leading expert offering a complete range of finishing systems with all leading certifications (FIBA, DIN 18032, EN 14904) for your sport floor.

Enjoy both: The power of tradition and the innovative setup of our new SPORT B product family.

Benefit from the comfortable XXL sizes, customized for the perfect gym floor processing.

Berger-Seidle® SPORT B – Welcome to the Future!

The Champion since Generations!



SPORT FLOOR SYSTEMS

Berger-Seidle®
...wood floors deserve the best!



Water-Based Systems

Product	Description	Shelf Life	VOC ASTM/Mixed	Dry Time	Application / Consumption	Sheens / Color Shades / Art-No.	Certificates / Approvals	Packaging	Pallet
	AQUACHOICE SPORT B SEALUP is a highly elastic one-component waterborne wood floor sealer specially formulated to reduce sidebonding and panelization. The suitability for its purpose is evidenced by a test certificate as per MFMA. AQUACHOICE® SPORT B SEALUP is especially effective in coating wood installed over in-floor heating, floors with various types of floor movement and resisting high thermocycle expansion/contraction effects. AQUACHOICE® SPORT B SEALUP is recommended for upend strip flooring, wood paving, floating and plank floors.	15 months*	149	1-2 hrs.**	 300-500 sf/gal	SPRT-10000	 	5 us fl gal	22
	AQUACHOICE SPORT B GREEN is a two-component, high-wear waterborne finish. It represents the latest innovation in two-component water-based finishing, as its hardener is completely free of isocyanate. This special chemistry provides excellent chemical and abrasion resistance. The suitability for its purpose is evidenced by a test certificate as per DIN 18032-2; EN 14904, FIBA and MFMA. Due to its excellent resistances AQUACHOICE® SPORT B GREEN can also been used on heavy-traffic hardwood floors to which special requirements are made as to slip resistance. Outstanding is also the extremely long pot life of 18 hours after mixing.	18 months*	(st) 212/193 (gl) 155/141 hard. 0	3-4 hrs.**	 350-550 sf/gal	mat / SPRT-10502 gloss / SPRT-10002	   	5 us fl gal	22 22
	AQUACHOICE SPORT B TWO is a two-component, water-based hardwood-floor finish based on polyurethane especially for the use on sport floors. The suitability for its purpose is evidenced by a test certificate as per DIN 18032-2; Ö-Norm B 2608 ÖISS-Richtlinie 1990 and EN 14904, MFMA and FIBA. Due to its excellent resistances AQUACHOICE® SPORT B TWO can also been used on heavy-traffic hardwood floors to which special requirements are made as to slip resistance.	15 months*	(st) 187/210 (sg) 189/212 (gl) 50/86 hard. 443	2 hrs.**	 350-550 sf/gal	mat / SPRT-10503 semigloss / SPRT-10303  gloss / SPRT-10003	   	5 us fl gal	22 22 22
	AQUACHOICE SPORT B MACH ONE is a two-component, water-based wood floor finish designed for recoating gym floors in just a single coat. Due to its fast drying the gym can be used again after 24 hours. The incredibly high gloss and clarity of the coating promises a fantastic appearance of the floor.	12 months*	(gl) 117/171 hard. 307		 350-550 sf/gal	gloss / SPRT-10049 hardener / SPRT-10050	 	5 gal + 2 gal hardener	14 + 14
	AQUACHOICE SPORT B FLEX AQUACHOICE SPORT B FLEX is a two-component, waterborne hardwood-floor finish based on polyurethane for long-term protection. The product is highly abrasion and chemically resistant, tough-elastic und especially recommendable for high-traffic floors. AQUACHOICE SPORT B FLEX is suitable for smooth or textured PVC, CV, linoleum, rubber/caoutchouc and PUR/epoxy coated floor coverings. AQUACHOICE SPORT B FLEX reduces maintenance requirements and soiling characteristics. AQUACHOICE SPORT B FLEX is resistant to yellowing.	15 months*	175/188 hard. 323	2 hrs.**	 350-550 sf/gal	gloss / SPRT-10004		5 us fl gal	22
	AQUACHOICE SPORT B COLOR LINE PAINT is a highly elastic one-component waterborne wood floor paint which is used for marking lines on hardwood floorings in sports halls.	15 months*	164-201	12 hrs.**	 350-550 sf/gal	White (SPRT-20000), Black (SPRT-20001), Blue (SPRT-20002), Green (SPRT-20003), Orange (SPRT-20004), Yellow (SPRT-20005), Red (SPRT-20006),		1 us fl gal	60
	AQUACHOICE SPORT B RETARDER is an additive for slowing down the reaction speed of Berger-Seidle AQUACHOICE water-based finishes. This product is recommended and useful for extremely dry and/or hot regions to normalize the finish's drying process. It helps to support a normal film building process.	48 months*	1040	N/A	same as varnish	SPRT-10048		0.4 us fl qt	432

SPORT FLOOR SYSTEMS



Solvent-Based Systems

Product	Description	Shelf Life	VOC ASTM/Mixed	Dry Time	Application / Consumption	Sheens / Color Shades / Art-No.	Certificates / Approvals	Packaging	Pallet
	OILCHOICE SPORT B POLY 500 SEAL is a universally applicable 1-component oil modified urethane Sealer using high quality modified natural oils. OILCHOICE SPORT B POLY 500 SEAL contains solvents and its binders are made from vegetable raw materials. This also applies to critical types of soil such as on edge lamella parquet, non-impregnated wood paving or planks, Parquet on underfloor heating and swinging structures in sports halls. OILCHOICE SPORT B POLY 500 SEAL has a low side-gluing effect and is great for any sport floor application. The suitability for its purpose is evidenced by a test certificate as per MFMA.	24 months*	540	8-12 hrs.**	 350-550 sf/gal	SPRT-10010		5 us fl gal	22
	OILCHOICE SPORT B POLY 500 is a universally applicable 1-component oil modified urethane product using high quality modified natural oils. OILCHOICE SPORT B POLY 500 contains solvents and its binders are made from vegetable raw materials. This also applies to critical types of soil such as on edge lamella parquet, non-impregnated wood paving or planks, Parquet on underfloor heating and swinging structures in sports halls. OILCHOICE SPORT B POLY 500 has a low side-gluing effect and is great for any sport floor application. The suitability for its purpose is evidenced by a test certificate as per MFMA and FIBA.	30 months*	(st) 494 (gl) 495	48 hrs.**	 350-550 sf/gal	satin / SPRT-10053  semigloss / SPRT-10052  gloss / SPRT-10014		5 us fl gal	22
	OILCHOICE SPORT B POLY 450 is a universally applicable 1-component high-solid oil modified urethane product using high quality modified natural oils. OILCHOICE SPORT B POLY 450 contains solvents and its binders are made from vegetable raw materials. OILCHOICE SPORT B POLY 450 has a low side-gluing effect and is great for any sport floor application. OILCHOICE SPORT B POLY 450 will adhere to most solvent-based and waterborne finishes after proper preparation, drying and curing times. OILCHOICE SPORT B POLY 450 provides an extremely tough, high build gloss finish with excellent chemical resistance, protecting against perspiration and routine cleaning. OILCHOICE SPORT B POLY 450 meets the federal and most state clean air quality standards. It is easy to maintain.	30 months*	(gl) 447	48 hrs.**	 350-550 sf/gal	gloss / SPRT-10015		5 us fl gal	22
	OILCHOICE SPORT B COLOR POLY LINE PAINT is a one-component varnish based on quick-drying synthetic resins which is used for marking lines on hardwood floorings in sports halls and for coloring sports hall finishes.	30 months*	431-454	12 hrs.**	 350-550 sf/gal	White / SPRT-30000 Black / SPRT-30001 Blue / SPRT-30002 Green / SPRT-30003 Orange / SPRT-30004 Yellow / SPRT-30005 Red / SPRT-30006		1 us fl gal	63
	OILCHOICE SPORT B POLY HARDENER is a no-solvent reactive additive for OILCHOICE SPORT B POLY 500. OILCHOICE SPORT B POLY HARDENER supports a faster surface drying and therefore a faster sandability as well as optimized chemical resistance. OILCHOICE SPORT B POLY HARDENER helps to minimize odour formation.	12 months*	1	N/A	same as varnish	SPRT-10049		0.5 us fl gal	216

SPORT FLOOR SYSTEMS



Cleaners & Thinners

Product	Description	Shelf Life	VOC ASTM	Dry Time	Application / Consumption	Sheens / Color Shades / Art-No.	Certificates / Approvals	Packaging	Pallet
	CLEANCHOICE SPORT B DAILYCLEAN is a cleaning agent to be added to water for damp wiping of finished and oiled hardwood flooring. It is also suitable for other floors, doors, window frames and plastic surfaces. The product is available as a concentrate.	36 months*	774	water	2000 sf/gal	SPRT-10018		5 us fl gal	22
	CLEANCHOICE SPORT B POWERCLEAN is a waterborne floor cleaner developed for the removal of tough dirt, stains, self-shining films and some wax coats on finished hardwood and other type floors.	24 months*	932	<30 min.**	2000 sf/gal	SPRT-10019		5 us fl gal	22
	CLEANCHOICE SPORT B MINERALSPIRITS is a solvent-based basic cleaner with a high cleaning effect for stains and heel marks as well as for the removal of dirty wax films on finished parquet, hardwood floors and other solvent-resistant surfaces.	36 months*	758	<30 min.**	2000 sf/gal	SPRT-10020		5 us fl gal	22
	CLEANCHOICE SPORT B FLEXCLEAN is a basic cleaner for removing dirt, high-shine care films, wax layers and adhesive residues. Thanks to the protective alkalinity and effective removal properties, it is ideal for basic and general cleaning. CLEANCHOICE SPORT B FLEXCLEAN is used for intensive cleaning every time before a permanent coating is applied e.g. AQUACHOICE SPORT B FLEX, or before full maintenance, e.g. with BRILLIANCE EVERCLEAR, and is ideal for smooth or structured PVC, CV, linoleum, rubber and PUR/epoxy-coated flooring and on artificial and natural stone floors.	24 months*	567	<30 min.**	2000 sf/gal	SPRT-10021		5 us fl gal	22

BERGERTOOL

By using the premium finishing products by Berger-Seidle, the right decision is made for a high-end quality floor offering numerous functional and creative options.

In the same way, using the right and tested premium tools are important to benefit from a safe application process. Berger-Seidle tools are carefully selected, tested, continuously controlled and customized for this perfect application.

The high quality of the tools support for instance the smooth leveling of a finish as well as fuzz-reduced rolling. Or they make sure, that the product is applied in the right quantity range according norms and datasheets. A perfection that pays off quickly.

Thus, the tools complete the finished, oils or adhesives in an ideal way. A plus in terms of comfort, safety and beauty of the floor. Very popular and highly requested helpers for the everyday business.

Valuable premium helpers for a perfect work in all situations.



WORK TOOLS



Product	Description	Type / Size / Item-No.
	BRILLIANCE SPRAYMOP COMFORTCLEAN is the ideal tool for everyday cleaning of your hardwood-floor and other smooth surfaces. With its tank and spraying head, it offers a very comfortable and also precise cleaning process without a frequent need to bend down. This high quality kit combines the tank and spraying equipment, the first cleaning pad and bottle of the mild ready to use product BRILLIANCE NEUTRALCLEANER.	Unit of 4 Sets single CARE-12010 Single Cover CARE-12020
	BERGERTOOL UNIVERSAL ROLLER is the universally usable roller, suited for all types of hardwood-floor finishes (without frame).	Unit of 10 pieces Nylon 25 cm TOOL-10050
	BERGERTOOL UNO ROLLER is our special low lint roller with 15 mm shearing length; for application of material of up to 180ml/m ² (without frame).	Unit of 10 pieces Nylon, 25 cm TOOL-10210
	BERGERTOOL MICRO FIBER ROLLER is our micro fiber roller (without frame). 8 mm Flor	Unit of 10 pieces Microfiber 25 cm TOOL-10060
	BERGERTOOL MICRO FIBER ROLLER PLUS SMALL is our small version for edge treatment of our mirco fiber roller with stronger web for higher material quantity carrying (without frame), 11 mm	Unit of 10 pieces Microfiber 10 cm TOOL-10220 MTD
	BERGERTOOL MICRO FIBER ROLLER ULTRASLIM is the perfect roller for thin applications and layers, for special cases such as AQUASEAL NORDICWHITE the perfect match, 5mm.	Unit of 10 pieces Microfibre 25 cm TOOL-10670
	BERGERTOOL MICRO FIBER ROLLER ULTRASLIM S is the smaller 10cm version of our micro fibre roller ULTRASLIM, 5mm.	Unit of 10 pieces Microfibre 10 cm TOOL-10675 MTD
	BERGERTOOL MICRO FIBER ROLLER DELUXE is our premium roller, offering a super compact and high quality micro fibre material and specially treated edges.	Unit of 10 pieces Microfibre 25 cm TOOL-10660
	BERGERTOOL ROLLERTELESCOPE , variable from 120-250 cm for BergerTool Roller Frame, with anti-fall protection and threaded holder for additional tools.	TOOL-10120

Product	Description	Type / Size / Item-No.
	BERGERTOOL ROLLER FRAME is our universal roller frame for all 25 cm Berger-Seidle rollers.	Metal 25 cm TOOL-10080 MTD
	BERGERTOOL ROLLER FRAME SMALL is our small roller frame for the BERGERTOOL MIRCO FIBER ROLLER PLUS SMALL.	Metal 10 cm TOOL-10250 MTD
	BERGERTOOL APPLICATIONGUN Size M 40cm/15,75": For the application of FlexFill cartridges Size L 60cm/23,62": For the application of 20oz adhesive tubular bags	M TOOL-10700 L TOOL-10705
	BERGERTOOL APPLICATIONGUN HOLDINGCAP	TOOL-10715
	BERGERTOOL SAUSAGE TIP	VE à 700 Pieces TOOL-10900
	BERGERTOOL FILTER	VE à 450 Pieces TOOL-10860
	BERGERTOOL CARE APPLICATOR is the ideal tool, inclusive of cover, for uniform application of BRILLIANCE EVERCLEAR®. Telescope version.	Care Applicator with Cover TOOL-10260 MTD Single Cover TOOL-10270 MTD
	BERGERTOOL BROAD BRUSH is our universal broad brush with frame.	20 cm TOOL-10280 30 cm TOOL-10290
	BERGERTOOL UNIVERSAL TROWEL is a stainless-steel trowel, with round edges.	Unit of 6 pieces single TOOL-10300 MTD (sharp edges) TOOL-10040 (round edges)
	BERGERTOOL TOOTHEDTROWEL is our notched trowel for application of BERGERBOND hardwood-floor adhesives; available in different notch sizes.	Unit of 10 pieces A2, TOOL-10310 MTD B1, TOOL-10320 MTD B3, TOOL-10330 MTD B7, TOOL-10340 MTD B11, TOOL-10350 B15, TOOL-10360

WORK TOOLS



Product	Description	Type / Size / Item-No.
	BERGERTOOL UNIVERSAL BRUSH is our universal high-quality brush with extra-long handle.	stainless-steel 75 mm TOOL-10370
	BERGERTOOL SMARTREPAIR SET The perfect, compact all inclusive repair set to repair or heal surface scratches and damages. Suitable for finished and impregnated wooden surfaces. BERGERTOOL SMARTREPAIR WAXREFILL Refill Sticks in all colors, sets of 2 pieces	TOOL-10760 Unit of 2 pieces Black TOOL-10800 MTD Blue TOOL-10801 MTD Green TOOL-10802 MTD Red TOOL-10803 MTD Yellow TOOL-10804 MTD White TOOL-10805 MTD Wenge / Smoked oak TOOL-10806 MTD Doussie / Merbau / Pear TOOL-10807 MTD Afromosia / Iroko / Jatoba TOOL-10808 MTD Beech dark / Red Oak dark / Cherry / Alder TOOL-10809 MTD Beech light / Red Oak light / Yew TOOL-10810 MTD Oak dark TOOL-10811 MTD Oak light / Chestnut TOOL-10812 MTD Ash / Pine / Hard Maple TOOL-10813 MTD Clear / Colorless TOOL-10814 MTD
	BT SMARTREPAIR BLADE Fine whetted blade to smoothen the healed area.	TOOL-10770
	BT SMARTREPAIR EQUALIZER Precision planer for perfect removal of overlappings.	TOOL-10780
	BERGERTOOL MixBOX for finishing works The transparent lacquering bucket is an optimal works aid. The scale makes easier the mixing of 2-component finishes in the ratios 10:1 of 20:1; it is suitable for smaller quantities too. The BERGERTOOL MixBOX is designed such that the roller may stay in the bucket with the lid closed nevertheless. One-Way-Bag for BERGERTOOL MixBox The fitting bag for our BERGERTOOL MixBOX; used in absolutely all cases when working with solvent-based products. Lid for BERGERTOOL MixBox	15 l TOOL-10100 TOOL-10110 TOOL-10101
	BERGERTOOL MixBOTTLE is the ideal tool for filling and mixing 1K and 2K products.	TOOL-10690

Product	Description	Type / Size / Item-No.
	BERGERTOOL APPLICATOR (without stick)	50 cm TOOL-10380 MTD
	BERGERTOOL PADHOLDER EASY 115x230 BERGERTOOL PADHOLDER ERGO 115x230	TOOL-10390 MTD TOOL-10400 MTD
	BERGERTOOL PADHOLDER ERGO STIEL Telescope, variable from 100-180 cm	TOOL-10120 MTD



WORK AIDS



Product	Description	Type / Size / Item-No.
	BERGERTOOL LAYERGAUGE PRO is a professional layer thickness measuring tool. It measures layer thicknesses of dried coats/finishes on the substrate wood.	TOOL-10190 (set)
	BERGERTOOL LAYERGAUGE GEL is a refilling bottle for the BERGERTOOL LAYERGAUGE PRO.	TOOL-10200
	BERGERTOOL COATCONTROLLER is our practical gauge for measuring the layer thickness while applying material.	82 x 57 x 1 mm TOOL-10010
	BERGERTOOL POWEROPENER is our practical tool for effortlessly opening canisters: suitable for 1 gal cans suitable for 5 l cans	TOOL-10421 TOOL-10420
	BERGERTOOL STRIKER is our tool for dispensing contents from aluminium bags.	225 x 105 mm TOOL-10020
	BERGERTOOL ROLLERCLEANER JS is a practical tool for cleaning rollers.	265 x 75 mm TOOL-10430
	BERGERTOOL POLISHING CLOTH is ideal for removing excess product and polishing of oiled surfaces.	Bag of 100 Pieces TOOL-10440
	BERGERTOOL PERAVLIES is our decoupling fleece, with tape measure, 250 g/m ² , size per roll 1 m x 50 m, 12 rolls per pallet.	Roll of 50 m ² TOOL-10450

Product	Description	Type / Size / Item-No.
	BERGERTOOL SMARTCORD is a closed-cell polyethylene-foam cord for filling wide expansion joints; prevents bonding of BERGERTOOL FLEXFILL COLOR in three directions.	Ø 8 mm (L) TOOL-10480 (bag of 98 ft) Ø 6 mm (M) TOOL-10470 (bag of 98 ft)
	BERGERSEIDLE® SYSTAINER® MINI , empty, for example for business cards Outside H 3,2 x B 10,4 x T 6,7 cm Inside H 2,3 x B 9,9 x T 27,3 cm Weight 42 g SMALL , empty, with foam for Sample Set SMALL , empty, with foam for 4.2 oz Sample Cans Outside H 10,5 x B 39,6 x T 29,6 cm Inside H 7,5 x B 38,3 x T 27,3 cm Weight 1,30 kg	TOOL-10490 TOOL-10500 TOOL-10680
	LARGE , empty Outside H 42 x B 39,6 x T 29,6 cm Inside H 38,4 x B 38,1 x T 26,5 cm Weight 3,10 kg	TOOL-10510
	BERGERSEIDLE® SYSTAINER® ROLL&APPLY SET The smart application set offers the perfect combination for an ideal workflow. The BERGER-SEIDLE SYSTAINER® MEDIUM is used for both transporting tools to the construction site and on site as an application and mix box, matched in size to rollers and applicators. The tailormade bags enable also long-term, clean work for each use. The roller base makes it easy to move and pull the set across the wood floor surface during the application process.	TOOL-10090 + TOOL-10030
	BERGERSEIDLE®SYSTAINER® ROLLER Outside H 15,9 x B 50,8 x T 39,6 cm Weight 2,94 kg	TOOL-10090
	MEDIUM , empty Outside H 23 x B 39,6 x T 29,6 cm Inside H 22,2 x B 35,8 x T 22,1 cm Weight 1,70 kg	TOOL-10030
	BERGERTOOL ENTRANCESTOP Information sign for doors about freshly finished surface, includes maintenance and care instructions.	80 x 260 mm 100 Piece/VE TOOL-10520

BERGERSEIDLE® COLLECTION



Product	Description	Art-No. / Size
	BERGERSEIDLE® STRAUSS POLOSHIRT MTD	CLTH-10098 / S CLTH-10099 / M CLTH-10100 / L CLTH-10101 / XL CLTH-10102 / 2XL CLTH-10103 / 3XL
	BERGERSEIDLE® STRAUSS T-SHIRT MTD	CLTH-10104 / S CLTH-10105 / M CLTH-10106 / L CLTH-10107 / XL CLTH-10108 / 2XL CLTH-10109 / 3XL
	BERGERSEIDLE® STRAUSS FLEECE JACKET MOTION MTD	CLTH-10092 / S CLTH-10093 / M CLTH-10094 / L CLTH-10095 / XL CLTH-10096 / 2XL CLTH-10097 / 3XL
	BERGERSEIDLE® STRAUSS HOODED FLEECE JACKET MOTION MTD	CLTH-10085 / S CLTH-10086 / M CLTH-10087 / L CLTH-10088 / XL CLTH-10089 / 2XL CLTH-10090 / 3XL CLTH-10091 / 4XL
	BERGERSEIDLE® STRAUSS JACKET ISOCELL DYNASHILD MTD	CLTH-10040 / XS CLTH-10041 / S CLTH-10042 / M CLTH-10043 / L CLTH-10044 / XL CLTH-10045 / 2XL CLTH-10046 / 3XL

Product	Description	Art-No. / Size
	BERGERSEIDLE® STRAUSS SOFTSHELL JACKET MOTION BLACK MTD	CLTH-10030 / XS CLTH-10031 / S CLTH-10032 / M CLTH-10033 / L CLTH-10034 / XL CLTH-10035 / 2XL CLTH-10036 / 3XL CLTH-10037 / 4XL CLTH-10038 / 5XL CLTH-10039 / 6XL
	BERGERSEIDLE® STRAUSS SOFTSHELL JACKET MOTION BLUE MTD	CLTH-10067 / XS CLTH-10068 / S CLTH-10069 / M CLTH-10070 / L CLTH-10071 / XL CLTH-10072 / 2XL CLTH-10073 / 3XL CLTH-10074 / 4XL CLTH-10075 / 5XL
	BERGERSEIDLE® STRAUSS 3 IN 1 FUNCTIONAL JACKET MOTION MTD	CLTH-10076 / XS CLTH-10077 / S CLTH-10078 / M CLTH-10079 / L CLTH-10080 / XL CLTH-10081 / 2XL CLTH-10082 / 3XL CLTH-10083 / 4XL CLTH-10084 / 5XL
	BERGERSEIDLE® STRAUSS HYBRID HOODED KNITTED JACKET MOTION TEN MTD	CLTH-10047 / XS CLTH-10048 / S CLTH-10049 / M CLTH-10050 / L CLTH-10051 / XL CLTH-10052 / 2XL CLTH-10053 / 3XL CLTH-10054 / 4XL

BERGERSEIDLE® COLLECTION



Product	Description	Art-No. / Size
	BERGERSEIDLE® STRAUSS SOFTSHELL BODYWARMER MOTION MTO	CLTH-10126 / XS CLTH-10127 / S CLTH-10128 / M CLTH-10129 / L CLTH-10130 / XL CLTH-10131 / 2XL CLTH-10132 / 3XL CLTH-10133 / 4XL CLTH-10134 / 5XL
	BERGERSEIDLE® STRAUSS TROUSERS MOTION MTO	CLTH-10001 / 23 CLTH-10002 / 24 CLTH-10003 / 25 CLTH-10004 / 26 CLTH-10005 / 27 CLTH-10006 / 28 CLTH-10007 / 29 CLTH-10008 / 40 CLTH-10009 / 42 CLTH-10010 / 44 CLTH-10011 / 46 CLTH-10012 / 48 CLTH-10013 / 50 CLTH-10014 / 52 CLTH-10015 / 54 CLTH-10016 / 56 CLTH-10017 / 58 CLTH-10018 / 60 CLTH-10019 / 62 CLTH-10020 / 64 CLTH-10021 / 66 CLTH-10022 / 88 CLTH-10023 / 90 CLTH-10024 / 94 CLTH-10025 / 98 CLTH-10026 / 102 CLTH-10027 / 106 CLTH-10028 / 110 CLTH-10029 / 114

Product	Description	Art-No. / Size
	BERGERSEIDLE® STRAUSS SHORTS MOTION MTO	CLTH-10055 / 40 CLTH-10056 / 42 CLTH-10057 / 44 CLTH-10058 / 46 CLTH-10059 / 48 CLTH-10060 / 50 CLTH-10061 / 52 CLTH-10062 / 54 CLTH-10063 / 56 CLTH-10064 / 58 CLTH-10065 / 60 CLTH-10066 / 62
	BERGERSEIDLE® STRAUSS ZIP off TROUSERS MTO	CLTH-10110 / 25 CLTH-10111 / 26 CLTH-10112 / 27 CLTH-10113 / 28 CLTH-10114 / 44 CLTH-10115 / 46 CLTH-10116 / 48 CLTH-10117 / 50 CLTH-10118 / 52 CLTH-10119 / 54 CLTH-10120 / 56 CLTH-10121 / 58 CLTH-10122 / 94 CLTH-10123 / 98 CLTH-10124 / 102 CLTH-10125 / 106

The workwear offered by Berger-Seidle corresponds to the premium quality produced by our partner STRAUSS and thus to the requirements and wishes of the market. If the workwear must meet special requirements or certifications for individual work use, this must be checked individually by the customer. Special certifications are not included. Ordered goods are non-returnable.


BERGERSEIDLE® COLLECTION



Product	Description	Type / Size / Item-No.
	BERGERSEIDLE® SALES PRESENTER is an attractive sales presenter in blue, with 4 levels, for our range of cleaning and care products. It offers 4 levels for our maintenance and care products. Attractive and supporting after sales marketing.	H 240 cm x B 62 cm x T 35 cm TOOL-10610 
	BERGERSEIDLE® BASE CAP	CLTH-10135
	BERGERSEIDLE® T-SHIRT US	Size S CLTH-10136 Size M CLTH-10137 Size L CLTH-10138 Size XL CLTH-10139 Size 2XL CLTH-10140 Size 3XL CLTH-10141
	BERGERSEIDLE® TABLE CLOTH	CLTH-10870

Product	Description	Type / Size / Item-No.
	BERGERSEIDLE® BANNER depicting the Berger-Seidle product and families. Motive and design for choice: AQUASEAL® CERAMICSTAR, AQUASEAL® GREENSTAR, AQUASEAL® ELASTICSTAR, AQUASEAL® PAK STOP, BERGER-BOND® M1, BRILLIANCE EVERCLEAR, CLASSIC BASEOIL or NATURALWHITE. Banners available in two variants: for hanging and standing presentation.	80 x 200 cm TOOL-10620
	BERGERSEIDLE® FLAG with Berger-Seidle depiction. Suitable for use indoors or outdoors. Available in two versions: Version with holding arm Version without holding arm	150 x 400 cm TOOL-10630  TOOL-10240
	BERGERSEIDLE® FOLDINGRULE Classic folding ruler with the Berger-Seidle logo	2 m TOOL-10650
	BERGERSEIDLE® FLOORY mascot parrot	18 cm TOOL-10740

Connect with Floory
on Instagram
and have fun



BERGERSEIDLE® COLLECTION



Product	Description	Type / Size / Item-No.
	BERGERSEIDLE® CARPENTER'S PENCIL Classic carpenter's pencil with logo from Berger-Seidle	TOOL-10890
	BERGERSEIDLE® LANYARD Classic lanyard with logo from Berger-Seidle	55 x 2 cm TOOL-10640
	BERGERSEIDLE® DUBBEGLAS Traditional jar of the region by Berger-Seidle.	0,5 Liter (Large) TOOL-10730
	BERGERSEIDLE® STEIN Traditional pitcher of the region by Berger-Seidle.	0,25 Liter (Small) TOOL-10731 
	BERGERSEIDLE® STICKER 40x15 cm (VE à 1 Pieces) 20x 7 cm (VE à 4 Pieces) 10x4 cm VE à 14 Pieces)	TOOL-10880 TOOL-10881 TOOL-10882
	BERGERSEIDLE® BAG	white TOOL-10840 blue TOOL-10850

EXPLANATION OF ICONS AND SYMBOLS

- * Storage time information: These are the minimum storage periods, to be counted as from delivery date ex works, if storage and transport is done correctly according MSDS/TDS in unopened original container. Please refer to current data sheets and instructions!
- ** All drying times stated are approx. values based on standard atmosphere acc. to DIN 50014: 73.4°F / 50% air humidity and normal coating thickness. Please note that insufficient ventilation, lower temperatures, higher air humidity or an increased layer thickness may delay drying considerably.
- **** Consumption values are rough value per layer and vary depending on usage, personal workflow and wood species. The values are supposed to help for order quantity calculations. Please also note the traffic table on page 93. The recommended tools represent the globally preferred and most widely used. Many other tools for application are possible according to the individual product data sheet, or after personal single case testing.
-  This item is a make-to-order product for North America. It is ready for production any time. Please note and request the specific production and shipping time for that product.
-   EC1 marking as per GEV-EMICODE: classification "very low emission" / EC1 plus is even significantly lower in emissions
-  All products marked with this sign possess the General Building Inspectorate Approval issued by DiBt. The approvals' text and the possibilities how to combine the products can be downloaded from the product pages on the web.
-  This product is part of the German waste recycling system "The green point" and thus supports the protection of the environment and sustainability.
-  Conformity mark of the ammerican Maple Flooring Manufacturers Association
-  EU Ecolabel environmental label (<https://eu-ecolabel.de/>)
-  Environmental label of the Swiss Color Foundation
-  Blue Angel www.blauer-engel.de/uz113 (classification for very low emmision)
-  Finnish emissions label for building products and furniture

	t-bar - recommended		t-bar - possible
	stainless trowel - recommended		stainless trowel - possible
	roller - recommended		roller - possible
	brush - recommended		brush - possible
	paint brush - recommended		paint brush - possible
	toothed trowel - recommended		toothed trowel - possible

CONTACT US

Welcome to the Family!

It is our great pleasure to partner with you! We appreciate each single customer as a part of the Berger-Seidle family! WELCOME!

Service for you!

A strong personal connection, 24/7 service with response within a few hours and long-term trust is very important to us and part of the values we stand for as a partner. Therefore we offer you a strong network of options and partners in North America you may select from.

Close to you!

Nevertheless, our network is strongly growing at the moment. Please forgive us in case we are not yet “around the corner” in your region. We are actively working on that for best possible service.

Technical Knowledge!

A special focus of our service is not just simply passion and best quality products, but especially highest level of technical knowledge and technical support. We are not “sales people”, we are technicians supporting you!

Teamwork and your personal Contact Person:

Everyday business with us stands on solid ground: teamwork! Your personal contact person, but also a strong team behind it are ready to help. We do not hide from challenges, we will support you with our team from all around the world.

Your options:

Berger-Seidle Service & Sales:

Hotline: 770.295.2282
Email: service@berger-seidle.com

Berger-Seidle Main LogistiCenter NorthAmerica:

Address: Berger-Seidle America LP
2220 Northmont Parkway, Suite 250
Duluth, GA 30096, USA

Phone: 770.295.2282
Website: www.berger-seidle.com

Berger-Seidle Distributors:

You will find the latest update of our North American Berger-Seidle partners and distributors online under www.berger-seidle.com!

Berger-Seidle Headquarters

Address: Berger-Seidle Headquarters Germany
Maybach Street 2
67269 Grünstadt / Wine Route
Germany

Phone: +49 63 59 80 05 X 0
E-mail: info@berger-seidle.de
Website: www.berger-seidle.de

Berger-Seidle @ Social Media

Instagram:
USA



Instagram:
HQ



Youtube:
HQ



Instagram:
Canada



Twitter:
HQ



TikTok:
HQ



Facebook:
HQ



Welcome and let us get connected and always stay updated!

Trainings & Workshops

You are personally important to us, as a newcomer or as a well-known specialist in the industry! We respect and highly appreciate your efforts, your passion and your dedication to your work and our partnership.

The technical quality of our teamwork is what Berger-Seidle is famous for all over the planet. Therefore, we offer a wide range of options to meet, listen to your needs and questions, and answer honestly and share our knowledge with you. Your knowledge and confidence is our goal.

Local Trainings

Close to you with locally different topics!

Webinars

Wherever you are – log in and join us!

NWFA Events & Education

Join on of our NWFA events and get certified!

Local Distributor Events

Our local distributors offer frequent Berger-Seidle trainings!

Headquarter Training Weeks

Ready to visit our unique TechnologyCenter WoodFlooring at our headquarters in Germany?

Individual Support

Just an individual question or need? We will help!

Get in touch with us and join our local trainings, webinars, NWFA events, distributor events or simply with a fully individual support. Our local specialists as well as specialists from our TechnologyCenter WoodFlooring in Germany will be there to meet you.

We look forward to meeting you!



TABLES

BERGERBOND ADHESIVE SYSTEMS

Wood type	BERGERBOND			
	M1P	M1	M1X	P2S
mosaic parquet	✓	•	•	✓
upright slat parquet	✓	•	•	✓
lam parquet	✓	•		✓
strip parquet	✓	✓		✓
massive planks d≤22, l≤2200 mm	✓	✓		✓
massive planks größere Formate	✓	•		✓
2-layer parquet	✓	✓	✓	•
3-layer parquet	✓	✓	✓	•
upright wood block paving RE	✓	•		✓
upright wood block paving WE	✓	•		✓
upright wood block paving GE				

✓ recommended • suitable * not to be combined with swelling-sensitive wood

COMBINATIONS OF PRIMERS AND ADHESIVES

Adhesive \ Primer	BERGERBOND PRIMER D	BERGERBOND PRIMER E	BERGERBOND PRIMER P
BERGERBOND D1U	✓		
BERGERBOND P2S	✓	✓	✓
BERGERBOND M1P	✓	✓	✓
BERGERBOND M1	✓	✓	✓
BERGERBOND M1X	✓	✓	✓

✓ Combination possible

* Please refer to the detailed use recommendations for the particular products in our current Technical Data Sheets.

SURFACE TREATMENT SYSTEMS

Hardwood-floor finishes	Use-suitability		
	normal (e.g. private living areas etc.)	medium (e.g. commercial areas, private offices etc.)	heavy (e.g. kindergartens, schools, hospitals, offices etc.)
Water-based Systems			
AQUASEAL® GREENSTAR	✓ 3x roller of 400 sqft/gal	✓ 3x roller of 400 sqft/gal	✓ 3x roller of 350 sqft/gal
AQUASEAL® CERAMICSTAR	✓ 3x roller of 400 sqft/gal	✓ 3x roller of 400 sqft/gal	✓ 3x roller of 350 sqft/gal
AQUASEAL® ROYALMAT	✓ 3x roller of 400 sqft/gal	✓ 3x roller of 400 sqft/gal	✓ 3x roller of 350 sqft/gal
AQUASEAL® NATURALWHITE	✓ 3x roller of 400 sqft/gal	✓ 3x roller of 400 sqft/gal	✓ 3x roller of 350 sqft/gal
AQUASEAL® ECOGOLD	✓ 3x roller of 400 sqft/gal	✓ 3x roller of 400 sqft/gal	✓ 4x roller of 350 sqft/gal
AQUASEAL® ECOSILVER	✓ 3x roller of 400 sqft/gal	✓ 3x roller of 350 sqft/gal	• 4x roller of 350 sqft/gal
AQUASEAL® SMARTHOME	✓ 3x roller of 400 sqft/gal	✓ 3x roller of 350 sqft/gal	
Solvent-based Systems			
SOLVSEAL LT EXPORT EXTRA	✓ 3x roller of 500 sqft/gal	✓ 3x roller of 400 sqft/gal	✓ 4x roller of 400 sqft/gal
Oil Systems			
CLASSIC BASEOIL	✓ 1 x roller until saturated, consumption subject to wood species, e.g. oak 800-2000 ft/gal	✓ 1 x roller until saturated, consumption subject to wood species, e.g. oak 800-2000 ft/gal	✓ 1 x roller until saturated, consumption subject to wood species, e.g. oak 800-2000 ft/gal
CLASSIC 100ProOIL	✓ 2 x trowel until saturated, consumption subject to wood species, e.g. oak 800-2000 ft/gal	✓ 2 x trowel until saturated, consumption subject to wood species, e.g. oak 800-2000 ft/gal	✓ 2-3 x trowel until saturated, consumption subject to wood species, e.g. oak 800-2000 ft/gal
CLASSIC HARDOIL	✓ 2x roller of 500 sqft/gal	✓ 2x roller of 450 sqft/gal	✓ 2x roller of 400 sqft/gal
All oil systems with medium or heavy traffic need intensive care while in use!			

✓ recommended • suitable

Notation:
With all three traffic classes, the use of primers and of trowel-applied hardwood-floor finishes may make sense. In this case our products AQUACHoice FLEXPriMER and AQUACHoice EXOBLOC will replace the first finishing coat. Please refer to the recommendations in our system guide and in our current Technical Data Sheets. In case solvent-containing products shall be used, there needs to be checked whether water-borne lacquer can be used instead (TRGS 617). The activities are to be performed in accordance with the rules of the trade, the state of the art and the applicable standards and regulations of the country in which the product is used.

TABLES

SKID RESISTANCES

Skid resistance class acc. to DGUV (German Social Accident Insurance) regulation 108-003 (BGR 181)	R9	R10	R11
Finish			
AQUASEAL® GREENSTAR	✓		
AQUASEAL® GREENSTAR + AQUASEAL® ANTISLIP ADD		✓	✓
AQUASEAL® CERAMICSTAR	✓		
AQUASEAL® CERAMICSTAR + AQUASEAL® ANTISLIP ADD		✓	✓
AQUASEAL® ROYALMAT	✓	✓	
AQUASEAL® ROYALMAT + AQUACHOICE® ANTISLIP ADD			✓
AQUASEAL® NATURALWHITE	✓	✓	
AQUASEAL® NATURALWHITE + AQUACHOICE® ANTISLIP ADD			✓
AQUASEAL® ELASTICSTAR	✓		
AQUASEAL® ELASTICSTAR + AQUASEAL® ANTISLIP ADD		✓	
AQUASEAL® EcoGOLD	✓		
AQUASEAL® EcoGOLD + AQUASEAL® ANTISLIP ADD		✓	
CLASSIC BASEOIL	✓	✓	✓
CLASSIC 100PROOIL	✓	✓	
CLASSIC HARDOIL	✓	✓	

✓ Complies with the skid resistance class

ROLLER USE TABLE

Type of roller	Suitable for
BERGERTOOL UNIVERSAL ROLLER Item-No. TOOL-10040, Application quantity 2.8-3.4 us fl oz/yd²	All systems
BERGERTOOL MICRO FIBRE ROLLER Item-No. TOOL-10120, Application quantity 2.3-2.8 us fl oz/yd²	Water-based coatings / CLASSIC BASEOIL
BERGERTOOL MICRO FIBRE ROLLER DELUXE Item-No. TOOL-10800, Application quantity 2.8-3.7 us fl oz/yd²	Water-based coatings
BERGERTOOL MICRO FIBRE ROLLER PLUS Item-No. TOOL-10770, Application quantity 2.8-3.7 us fl oz/yd²	Water-based coatings
BERGERTOOL ULTRA SLIM Item-No. TOOL-10470, Application quantity 1.1-1.4 us fl oz/yd²	BERGERBOND PRIMER P / CLASSIC BASEOIL / CLASSIC 100PROOIL CLASSIC HARDOIL / AQUASEAL® NORDICWHITE AQUASEAL® NATURALWHITE
BERGERTOOL UNO ROLLER Item-No. TOOL-10050, Application quantity 4.2-7.1 us fl oz/yd²	BERGERBOND PRIMER E / SOLVSEAL UNO Finish
BERGERTOOL FOAM ROLLER Item-No. TOOL-10070, Application quantity 2.3-2.8 us fl oz/yd²	CLASSIC BASEOIL / BERGERBOND PRIMER P

COMBINATIONS OF SEALERS AND FINISHES

	AQUASEAL® GREENSTAR	AQUASEAL® ROYALMAT	AQUASEAL® NATURALWHITE	AQUASEAL® CERAMICSTAR	AQUASEAL® EcoGOLD	AQUASEAL® EcoSILVER	AQUASEAL® SMARTHOME	AQUASEAL® NORDICWHITE	SOLVSEAL LT EXPORT EXTRA	CLASSIC BASEOIL	CLASSIC 100PROOIL	CLASSIC HARDOIL
Finish												
AQUASEAL® FLEXPRIMER	✓	✓	✓	✓	✓	✓	✓	✓				
AQUASEAL® EXOBLOC	✓	✓	✓	✓	✓	✓	✓	✓				
AQUASEAL® NORDICWHITE	✓	✓	✓	✓	✓	✓	✓	✓				
CLASSIC BASEOIL	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓
CLASSIC EXPRESSTAIN	✓	✓	✓	✓	✓	✓	✓		✓			✓
SOLVSEAL UNOQUICKPRIMER®	✓	✓	✓	✓	✓				✓			✓

✓ combination possible

* Please refer to the detailed use recommendations for the particular products in our current Technical Data Sheets.

ALPHABETIC PRODUCT LIST

ABRAPRIME CERAMIC 3M CUBITRON	12-13	BERGERBOND COLORADD P	8-9	BERGERTOOL PADHOLDER ERGO STIEL	87	CLEANCHOICE SPORT B MINERALSPIRITS	80-81
ABRAPRIME CLEANING AND MAINTENANCE	26-27	BERGERBOND D1U	8-9	BERGERTOOL PERAVLIES	88	CLEANCHOICE SPORT B POWERCLEAN	80-81
ABRAPRIME CORUNDUM	18-19	BERGERBOND M1	8-9	BERGERTOOL POLISHING CLOTH	88		
ABRAPRIME ELASTIC FLOORS	28-29	BERGERBOND M1P	6-7	BERGERTOOL POWEROPENER	88	OILCHOICE SPORT B COLOR POLY LINE PAINT	78-79
ABRAPRIME STAIRS, CORNERS, OTHERS	20-21	BERGERBOND M1S	6-7	BERGERTOOL ROLLER CLEANER JS	88	OILCHOICE SPORT B POLY500 SEAL	78-79
ABRAPRIME SURFACE TREATMENT	22-25	BERGERBOND M1U UP	8-9	BERGERTOOL ROLLER FRAME	85	OILCHOICE SPORT B POLY500	78-79
ABRAPRIME ZIRCON	14-15	BERGERBOND M1X	8-9	BERGERTOOL ROLLER FRAME SMALL	85	OILCHOICE SPORT B POLY HARDENER	78-79
ABRAPRIME ZIRCONIA ALUMINA	16-17	BERGERBOND P2S	6-7	BERGERTOOL ROLLER TELESCOPE	84		
		BERGERBOND P2 RAPIDREPAIR	8-9	BERGERTOOL SAUSAGE TIP	85	SOLVSEAL LT EXPORT EXTRA	64-65
AQUACHOICE SPORT B COLOR LINE PAINT	76-77	BERGERBOND PRIMER D	6-7	BERGERTOOL SMARTCORD	89	SOLVSEAL PAFUKISUPER	64-65
AQUACHOICE SPORT B FLEX	76-77	BERGERBOND PRIMER E	6-7	BERGERTOOL SMARTREPAIR SET	86	SOLVSEAL UNIQUICKPRIMER	64-65
AQUACHOICE SPORT B GREEN	76-77	BERGERBOND PRIMER P	6-7	BERGERTOOL SMARTREPAIR WAXREFILL	86		
AQUACHOICE SPORT B MACHONE	76-77			BERGERTOOL SMARTREPAIR BLADE	86		
AQUACHOICE SPORT B RETARDER	76-77	BERGERSEIDLE® BAG	96	BERGERTOOL SMARTREPAIR EQUALIZER	86		
AQUACHOICE SPORT B SEALUP	76-77	BERGERSEIDLE® BANNER	95	BERGERTOOL STRIKER	88		
AQUACHOICE SPORT B TWO	76-77	BERGERSEIDLE® CAP	94	BERGERTOOL UNIVERSAL BRUSH	86		
		BERGERSEIDLE® CARPENTER'S PENCIL	96	BERGERTOOL UNIVERSAL ROLLER	84		
AQUASEAL® ANTISLIP ADD	46-47	BERGERSEIDLE® DUBBEGLAS	96	BERGERTOOL UNIVERSAL TROWEL	85		
AQUASEAL® CERAMICSTAR	38-39	BERGERSEIDLE® FLAG	95	BERGERTOOL UNO ROLLER	84		
AQUASEAL® ECOGOLD	46-47	BERGERSEIDLE® FLOORY	95	BERGERTOOL TOOTHEDTROWEL	85		
AQUASEAL® ECOSILVER	46-47	BERGERSEIDLE® FOLDINGRULE	95				
AQUASEAL® ELASTICSTAR	42-43	BERGERSEIDLE® LANYARD	96	BRILLIANCE AQUASATINPOLISH	70-71		
AQUASEAL® ELASTICSTAR COLOR	42-43	BERGERSEIDLE® SALES PRESENTER	94	BRILLIANCE AQUAOILCARE	70-71		
AQUASEAL® ELASTICSTAR COLOR CHIPS	42-43	BERGERSEIDLE® STEIN	96	BRILLIANCE BIOCLEAN	68-71		
AQUASEAL® EXOBLOC	38-39	BERGERSEIDLE® STICKER	96	BRILLIANCE BIOSOAP	70-71		
AQUASEAL® EXOBLOC TURBO	38-39	BERGERSEIDLE® STRAUSS COLLECTION	90-93	BRILLIANCE CLEANER L91	72-76		
AQUASEAL® FLEXFILL COLOR	32-37	BERGERSEIDLE® SYSTAINER®	89	BRILLIANCE CLEANER L94	68-69		
AQUASEAL® FLEXFILL COLOR CHART	32-34	BERGERSEIDLE® TABLE CLOTH	94	BRILLIANCE ELASTICCLEANER	72-76		
AQUASEAL® FLEXFILL COLOR SAMPLES	32-34	BERGERSEIDLE® T-SHIRT	94	BRILLIANCE EVERCLEAR	68-69		
AQUASEAL® FLEXFILL COLOR SET	32-34			BRILLIANCE FILLANDFINISH	72-73		
AQUASEAL® FLEXSEALER	38-39	BERGERTOOL APPLICATOR	87	BRILLIANCE FITPOLISH	70-71		
AQUASEAL® GREENSTAR	38-41	BERGERTOOL APPLICATIONGUN	85	BRILLIANCE NEUTRALCLEANER	68-71		
AQUASEAL® LEVELGEL	46-47	BERGERTOOL BERGER-SEIDLE SYSTAINER®	83	BRILLIANCE OILCARE	70-71		
AQUASEAL® NATURALWHITE	42-45	BERGERTOOL BROAD BRUSH	85	BRILLIANCE SPRAYMOP COMFORTCLEAN	72-73		
AQUASEAL® NORDICWHITE	46-47	BERGERTOOL CARE APPLICATOR	85	BRILLIANCE STARTERSET1	68-69		
AQUASEAL® POWERFILLER	32-34	BERGERTOOL COATCONTROLLER	88	BRILLIANCE STARTERSET2	70-71		
AQUASEAL® PAFUKIPOWDER COLOR	32-35	BERGERTOOL ENTRANCESTOP	89				
AQUASEAL® PAK STOP	32-35	BERGERTOOL FILTER	85	CLASSIC 100PROOIL	52-53		
AQUASEAL® PINKQUALIZER	38-39	BERGERTOOL FOAM ROLLER	84	CLASSIC BASEOIL	50-55		
AQUASEAL® RETARDER	46-47	BERGERTOOL LAYERGAUGE GEL	88	CLASSIC BASEOIL COLOR	50-55		
AQUASEAL® ROYALMAT	42-45	BERGERTOOL LAYERGAUGE PRO	88	CLASSIC BASEOIL COLOR Sample Box	51-53		
AQUASEAL® SMARTHOME	46-47	BERGERTOOL MICRO FIBRE ROLLER	84	CLASSIC BASEOIL COLOR Sample Set	51-53		
AQUASEAL® SMARTSTAR	42-43	BERGERTOOL MICRO FIBRE ROL. PLUS	84	CLASSIC BIOLYE	52-53		
AQUASEAL® UV PLUS	46-47	BERGERTOOL MICRO FIBRE ROL. PLUS S.	84	CLASSIC EXPRESSSTAIN COLOR	56-59		
		BERGERTOOL MICRO FIBRE ROL. ULTRASLIM	84	CLASSIC EXPRESSSTAIN COLOR Samp.Set	56-57		
		BERGERTOOL MICRO FIBRE ROL. ULTR. S.	84	CLASSIC HARDOIL	52-53		
		BERGERTOOL MIXBOX	86	CLASSIC OUTDOOROIL	60-61		
		BERGERTOOL MIXBOTTLE	86	CLASSIC OUTDOOROIL COLOR	60-61		
		BERGERTOOL PADHOLDER EASY	87	CLASSIC PLUS	52-53		
		BERGERTOOL PADHOLDER ERGO	87				
				CLEANCHOICE SPORT B DAILYCLEAN	80-81		
				CLEANCHOICE SPORT B FLEXCLEAN	80-81		

SPECIAL CONDITIONS



...wood floors deserve the best!

Follow us!



Instagram
USA



Instagram
Canada



About the listed products please refer to our actual technical data sheets and material safety data sheets. For information, test deliveries or quotes please contact:

Berger-Seidle Service & Sales:

Hotline: 770.295.2282

1138 A00A
US-CA-2601-4



Berger-Seidle America LP
2220 Northmont Parkway, Suite 250 • Duluth, GA 30096, USA
www.berger-seidle.com • info@berger-seidle.com
Phone: 770.295.2282

